PHILIPPINE BIDDING DOCUMENTS

Procurement of INFRASTRUCTURE PROJECTS

Government of the Republic of the Philippines

Rehabilitation/Renovation, Repair, and Improvement of Elementary School Buildings under the Basic Education Facilities Fund

Project No. INFRA-MLL-2022-01-REPAIR

Sixth Edition July 2020

Preface

These Philippine Bidding Documents (PBDs) for the procurement of Infrastructure Projects (hereinafter referred to also as the "Works") through Competitive Bidding have been prepared by the Government of the Philippines for use by all branches, agencies, departments, bureaus, offices, or instrumentalities of the government, including government-owned and/or -controlled corporations, government financial institutions, state universities and colleges, local government units, and autonomous regional government. The procedures and practices presented in this document have been developed through broad experience, and are for mandatory use in projects that are financed in whole or in part by the Government of the Philippines or any foreign government/foreign or international financing institution in accordance with the provisions of the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.

The PBDs are intended as a model for admeasurements (unit prices or unit rates in a bill of quantities) types of contract, which are the most common in Works contracting.

The Bidding Documents shall clearly and adequately define, among others: (i) the objectives, scope, and expected outputs and/or results of the proposed contract; (ii) the eligibility requirements of Bidders; (iii) the expected contract duration; and (iv)the obligations, duties, and/or functions of the winning Bidder.

Care should be taken to check the relevance of the provisions of the PBDs against the requirements of the specific Works to be procured. If duplication of a subject is inevitable in other sections of the document prepared by the Procuring Entity, care must be exercised to avoid contradictions between clauses dealing with the same matter.

Moreover, each section is prepared with notes intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They shall not be included in the final documents. The following general directions should be observed when using the documents:

- a. All the documents listed in the Table of Contents are normally required for the procurement of Infrastructure Projects. However, they should be adapted as necessary to the circumstances of the particular Project.
- b. Specific details, such as the "name of the Procuring Entity" and "address for bid submission," should be furnished in the Instructions to Bidders, Bid Data Sheet, and Special Conditions of Contract. The final documents should contain neither blank spaces nor options.
- c. This Preface and the footnotes or notes in italics included in the Invitation to Bid, BDS, General Conditions of Contract, Special Conditions of Contract, Specifications, Drawings, and Bill of Quantities are not part of the text of the final document, although they contain instructions that the Procuring Entity should strictly follow.
- d. The cover should be modified as required to identify the Bidding Documents as to the names of the Project, Contract, and Procuring Entity, in addition to date of issue.

- e. Modifications for specific Procurement Project details should be provided in the Special Conditions of Contract as amendments to the Conditions of Contract. For easy completion, whenever reference has to be made to specific clauses in the Bid Data Sheet or Special Conditions of Contract, these terms shall be printed in bold typeface on Sections I (Instructions to Bidders) and III (General Conditions of Contract), respectively.
- f. For guidelines on the use of Bidding Forms and the procurement of Foreign-Assisted Projects, these will be covered by a separate issuance of the Government Procurement Policy Board.

TABLE OF CONTENTS

\mathbf{G}	lossai	ry of Terms, Abbreviations, and Acronyms	5
Se	ction	I. Invitation to Bid	8
Se	ction	II. Instructions to Bidders	11
	1.	Scope of Bid	11
	2.	Funding Information	11
	3.	Bidding Requirements	11
	4.	Corrupt, Fraudulent, Collusive, Coercive, and Obstructive Practices	12
	5.	Eligible Bidders	12
	6.	Origin of Associated Goods	12
	7.	Subcontracts	12
	8.	Pre-Bid Conference	13
	9.	Clarification and Amendment of Bidding Documents	13
	10.	Documents Comprising the Bid: Eligibility and Technical Components	13
	11.	Documents Comprising the Bid: Financial Component	14
	12.	Alternative Bids	14
	13.	Bid Prices	14
	14.	Bid and Payment Currencies	14
	15.	Bid Security	14
	16.	Sealing and Marking of Bids	15
	17.	Deadline for Submission of Bids	15
	18.	Opening and Preliminary Examination of Bids	15
	19.	Detailed Evaluation and Comparison of Bids	15
	20.	Post Qualification	16
	21.	Signing of the Contract	16
Se	ction	III. Bid Data Sheet	17
Se	ction	IV. General Conditions of Contract	19
	1.	Scope of Contract	20
	2.	Sectional Completion of Works	20
	3.	Possession of Site	20
	4.	The Contractor's Obligations	20
	5.	Performance Security	21
	6.	Site Investigation Reports	21

7.	Warranty	21
8.	Liability of the Contractor	21
9.	Termination for Other Causes	21
10.	Dayworks	22
11.	Program of Work	22
12.	Instructions, Inspections and Audits	22
13.	Advance Payment	22
14.	Progress Payments	22
15.	Operating and Maintenance Manuals	22
Section	V. Special Conditions of Contract	24
Section	VI. Specifications	26
	VII. Drawings	
	VIII. Bill of Quantities	
Section	IX. Checklist of Technical and Financial Documents	31

Glossary of Terms, Abbreviations, and Acronyms

ABC – Approved Budget for the Contract.

ARCC – Allowable Range of Contract Cost.

BAC – Bids and Awards Committee.

Bid – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

Bidder – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

Bidding Documents – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

BIR – Bureau of Internal Revenue.

BSP – Bangko Sentral ng Pilipinas.

CDA – Cooperative Development Authority.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

Contractor – is a natural or juridical entity whose proposal was accepted by the Procuring Entity and to whom the Contract to execute the Work was awarded. Contractor as used in these Bidding Documents may likewise refer to a supplier, distributor, manufacturer, or consultant.

CPI – Consumer Price Index.

DOLE – Department of Labor and Employment.

DTI – Department of Trade and Industry.

Foreign-funded Procurement or Foreign-Assisted Project – Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

GFI – Government Financial Institution.

GOCC – Government-owned and/or –controlled corporation.

Goods – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term "related" or "analogous services" shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

GOP – Government of the Philippines.

Infrastructure Projects – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs – Local Government Units.

NFCC – Net Financial Contracting Capacity.

NGA – National Government Agency.

PCAB – Philippine Contractors Accreditation Board.

PhilGEPS - Philippine Government Electronic Procurement System.

Procurement Project – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

PSA – Philippine Statistics Authority.

SEC – Securities and Exchange Commission.

 ${\bf SLCC-Single\ Largest\ Completed\ Contract}.$

UN – United Nations.

Section I. Invitation to Bid

Notes on the Invitation to Bid

The Invitation to Bid (IB) provides information that enables potential Bidders to decide whether to participate in the procurement at hand. The IB shall be posted in accordance with Section 21.2 of the 2016 revised IRR of RA No. 9184.

Apart from the essential items listed in the Bidding Documents, the IB should also indicate the following:

- a. The date of availability of the Bidding Documents, which shall be from the time the IB is first advertised/posted until the deadline for the submission and receipt of bids;
- b. The place where the Bidding Documents may be acquired or the website where it may be downloaded;
- c. The deadline for the submission and receipt of bids; and
- d. Any important bid evaluation criteria.

The IB should be incorporated into the Bidding Documents. The information contained in the IB must conform to the Bidding Documents and in particular to the relevant information in the Bid Data Sheet.



Republic of the Philippines

Department of Education region iii

SCHOOLS DIVISION OF CITY OF MALOLOS

Invitation to Bid

For the Rehabilitation/Renovation, Repair, and Improvement of Elementary School Buildings under the Basic Education Facilities Fund

Project No. INFRA-MLL-2022-01-REPAIR

- 1. The **Department of Education**, *Schools Division of City of Malolos*, through the *R.A. Act No. 11639- FY 2022 GAA*; *SARO: OSEC-3-22-6316* intends to apply the sum of Php *3,279,909.75* being the Approved Budget for the Contract (ABC) to payments under the contract for **INFRA-MLL-2022-01-REPAIR** of seven (7) Classroom School Building at Canalate Elementary School. Bids received in excess of the ABC shall be automatically rejected at bid opening.
- 2. The *Department of Education, Schools Division Office of City of Malolos* now invites bids for the above Procurement Project. Completion of the Works is required *120 Calendar Days*. Bidders should have completed a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders).
- 3. Bidding will be conducted through open competitive bidding procedures using non-discretionary "pass/fail" criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.
- 4. Interested bidders may obtain further information from *Department of Education*, *Schools Division Office of City of Malolos* and inspect the Bidding Documents at the address given below from *8:00AM to 5:00PM*.
- 5. A complete set of Bidding Documents may be acquired by interested bidders on *September 28, 2022* from given address and website/s below *and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the amount of Five Thousand Pesos (Php 5,000.00).* The Procuring Entity shall allow the bidder to present its proof of payment for the fees *in person*.

- 6. The *Department of Education, Schools Division Office of City of Malolos* will hold a Pre-Bid Conference¹ on *September 28, 2022 1:00pm* at *the Division Office*, which shall be open to prospective bidders.
- 7. Bids must be duly received by the BAC Secretariat through manual submission on **October 13, 2022 until 12:00 noon** at the office address as indicated below. Late bids shall not be accepted.
- 8. All bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in **ITB** Clause 16.
- 9. Bid opening shall be on *October 13*, 2022 1:00PM at the given address below. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.
- 10. The *Department of Education, Schools Division Office of City of Malolos* reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised Implementing Rules and Regulations (IRR) of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.

11. For further information, please refer to:

Rommel C. Cruz

BAC Secretariat

Division of Malolos City

DepEd Malolos City Bldg., Brgy. Sta. Isabel, City of Malolos

Contact Number: 09190804458

Email Address: rommel.cruz@deped.gov.ph

Website: www.depedmalolos.com

12. You may visit the following websites:

For Downloading of Bidding Documents: www.depedmalolos.com

LEONARDO C. CANLAS, EdD, CESO VI BAC Chairperson

May be deleted in case the ABC is less than One Million Pesos (PhP1,000,000) where the Procuring Entity may not hold a pre-bid conference.

Section II. Instructions to Bidders

Notes on the Instructions to Bidders

This Section on the Instruction to Bidders (ITB) provides the information necessary for bidders to prepare responsive bids, in accordance with the requirements of the Procuring Entity. It also provides information on bid submission, eligibility check, opening and evaluation of bids, post-qualification, and on the award of contract.

1. Scope of Bid

The Procuring Entity, **Department of Education**, *Schools Division of City of Malolos* invites Bids for the **For the Rehabilitation/Renovation**, **Repair**, and **Improvement of Elementary School Buildings under the Basic Education Facilities Fund**, with Project Identification Number: **INFRA-MLL-2022-01-REPAIR**.

The Procurement Project (referred to herein as "Project") is for the construction of Works, as described in Section VI (Specifications).

2. Funding Information

- 2.1. The GOP through the source of funding as indicated below for *OSEC-3-22-6316* in the amount of Three Million Two Hundred Seventy Nine Thousand Nine Hundred Nine Pesos and 75/100 (Php *3*,279,909.75).
- 2.2. The source of funding is:

Republic Act No. 11639 – FY 2022 GAA; OSEC-3-22-6316

3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manual and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or invitation to bid by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have inspected the site, determined the general characteristics of the contracted Works and the conditions for this Project, such as the location and the nature of the work; (b) climatic conditions; (c) transportation facilities; (c) nature and condition of the terrain, geological conditions at the site communication facilities, requirements, location and availability of construction aggregates and other materials, labor, water, electric power and access roads; and (d) other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

4. Corrupt, Fraudulent, Collusive, Coercive, and Obstructive Practices

The Procuring Entity, as well as the Bidders and Contractors, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

5. Eligible Bidders

- 5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.
- 5.2. The Bidder must have an experience of having completed a Single Largest Completed Contract (SLCC) that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC adjusted, if necessary, by the Bidder to current prices using the PSA's CPI, except under conditions provided for in Section 23.4.2.4 of the 2016 revised IRR of RA No. 9184.

A contract is considered to be "similar" to the contract to be bid if it has the major categories of work stated in the **BDS**.

- 5.3. For Foreign-funded Procurement, the Procuring Entity and the foreign government/foreign or international financing institution may agree on another track record requirement, as specified in the Bidding Document prepared for this purpose.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.2 of the 2016 IRR of RA No. 9184.

6. Origin of Associated Goods

There is no restriction on the origin of Goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN.

7. Subcontracts

7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than fifty percent (50%) of the Project.

The Procuring Entity has prescribed that: **Subcontracting is not allowed.**

8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address September 28, 2022 1:00PM at Schools Division Office of City of Malolos located at Sta. Isabel, City of Malolos as indicated in paragraph 6 of the **IB**.

9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

10. Documents Comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section IX. Checklist of Technical and Financial Documents**.
- 10.2. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. For Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.
- 10.3. A valid special PCAB License in case of Joint Ventures, and registration for the type and cost of the contract for this Project. Any additional type of Contractor license or permit shall be indicated in the **BDS**.
- 10.4. A List of Contractor's key personnel (e.g., Project Manager, Project Engineers, Materials Engineers, and Foremen) assigned to the contract to be bid, with their complete qualification and experience data shall be provided. These key personnel must meet the required minimum years of experience set in the **BDS**.

10.5. A List of Contractor's major equipment units, which are owned, leased, and/or under purchase agreements, supported by proof of ownership, certification of availability of equipment from the equipment lessor/vendor for the duration of the project, as the case may be, must meet the minimum requirements for the contract set in the **BDS**.

11. Documents Comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section IX. Checklist of Technical and Financial Documents**.
- 11.2. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.3. For Foreign-funded procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

12. Alternative Bids

Bidders shall submit offers that comply with the requirements of the Bidding Documents, including the basic technical design as indicated in the drawings and specifications. Unless there is a value engineering clause in the **BDS**, alternative Bids shall not be accepted.

13. Bid Prices

All bid prices for the given scope of work in the Project as awarded shall be considered as fixed prices, and therefore not subject to price escalation during contract implementation, except under extraordinary circumstances as determined by the NEDA and approved by the GPPB pursuant to the revised Guidelines for Contract Price Escalation guidelines.

14. Bid and Payment Currencies

- 14.1. Bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 14.2. Payment of the contract price shall be made in:
 - a. Philippine Pesos.

15. Bid Security

- 15.1. The Bidder shall submit a Bid Securing Declaration or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 15.2. The Bid and bid security shall be valid until 120 Calendar Days. Any bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

16. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission to the given website or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

17. Deadline for Submission of Bids

The Bidders shall submit on the specified date and time and either at its physical address or through online submission as indicated in paragraph 7 of the **IB**.

18. Opening and Preliminary Examination of Bids

18.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

18.2. The preliminary examination of Bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

19. Detailed Evaluation and Comparison of Bids

19.1. The Procuring Entity's BAC shall immediately conduct a detailed evaluation of all Bids rated "passed" using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of 2016 revised IRR of RA No. 9184.

- 19.2. If the Project allows partial bids, all Bids and combinations of Bids as indicated in the **BDS** shall be received by the same deadline and opened and evaluated simultaneously so as to determine the Bid or combination of Bids offering the lowest calculated cost to the Procuring Entity. Bid Security as required by **ITB** Clause 15 shall be submitted for each contract (lot) separately.
- 19.3. In all cases, the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184 must be sufficient for the total of the ABCs for all the lots participated in by the prospective Bidder.

20. Post Qualification

Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS), and other appropriate licenses and permits required by law and stated in the **BDS**.

21. Signing of the Contract

The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

Section III. Bid Data Sheet

Notes on the Bid Data Sheet (BDS)

The Bid Data Sheet (BDS) consists of provisions that supplement, amend, or specify in detail, information, or requirements included in the ITB found in Section II, which are specific to each procurement.

This Section is intended to assist the Procuring Entity in providing the specific information in relation to corresponding clauses in the ITB and has to be prepared for each specific procurement.

The Procuring Entity should specify in the BDS information and requirements specific to the circumstances of the Procuring Entity, the processing of the procurement, and the bid evaluation criteria that will apply to the Bids. In preparing the BDS, the following aspects should be checked:

- a. Information that specifies and complements provisions of the ITB must be incorporated.
- b. Amendments and/or supplements, if any, to provisions of the ITB as necessitated by the circumstances of the specific procurement, must also be incorporated.

Bid Data Sheet

ITD Clayer	
ITB Clause	
5.2	For this purpose, contracts similar to the Project refer to contracts which have the same major categories of work, which shall be:
	Rehabilitation/Renovation, Repair, and Improvement School Buildings/Houses
7.1	No Subcontracting is allowed.
10.3	Not Applicable
10.4	The key personnel must meet the required minimum years of experience set below:
	Key Personnel General Experience Relevant Experience
10.5	The minimum major equipment requirements are the following:
	Equipment Capacity Number of Units
12	[Insert Value Engineering clause if allowed.] Not Applicable
15.1	The bid security shall be in the form of a Bid Securing Declaration or any of the following forms and amounts: a. The amount of not less than Php 65,598.20, if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit;
	b. The amount of not less than Php 163,995.49 if bid security is in Surety Bond.
19.2	Partial bids are allowed, as follows: Not Applicable
20	[List licenses and permits relevant to the Project and the corresponding law requiring it, e.g. Environmental Compliance Certificate, Certification that the project site is not within a geohazard zone, etc.] Not Applicable
21	Additional contract documents relevant to the Project that may be required by existing laws and/or the Procuring Entity, such as construction schedule and Scurve, manpower schedule, construction methods, equipment utilization schedule, construction safety and health program approved by the DOLE, and other acceptable tools of project scheduling.

Section IV. General Conditions of Contract

Notes on the General Conditions of Contract

The General Conditions of Contract (GCC) in this Section, read in conjunction with the Special Conditions of Contract in Section V and other documents listed therein, should be a complete document expressing all the rights and obligations of the parties.

Matters governing performance of the Contractor, payments under the contract, or matters affecting the risks, rights, and obligations of the parties under the contract are included in the GCC and Special Conditions of Contract.

Any complementary information, which may be needed, shall be introduced only through the Special Conditions of Contract.

1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

2. Sectional Completion of Works

If sectional completion is specified in the **Special Conditions of Contract** (SCC), references in the Conditions of Contract to the Works, the Completion Date, and the Intended Completion Date shall apply to any Section of the Works (other than references to the Completion Date and Intended Completion Date for the whole of the Works).

3. Possession of Site

- 3.1 The Procuring Entity shall give possession of all or parts of the Site to the Contractor based on the schedule of delivery indicated in the SCC, which corresponds to the execution of the Works. If the Contractor suffers delay or incurs cost from failure on the part of the Procuring Entity to give possession in accordance with the terms of this clause, the Procuring Entity's Representative shall give the Contractor a Contract Time Extension and certify such sum as fair to cover the cost incurred, which sum shall be paid by Procuring Entity.
 - 3.2 If possession of a portion is not given by the above date, the Procuring Entity will be deemed to have delayed the start of the relevant activities. The resulting adjustments in contract time to address such delay may be addressed through contract extension provided under Annex "E" of the 2016 revised IRR of RA No. 9184.

4. The Contractor's Obligations

The Contractor shall employ the key personnel named in the Schedule of Key Personnel indicating their designation, in accordance with **ITB** Clause 10.3 and specified in the **BDS**, to carry out the supervision of the Works.

The Procuring Entity will approve any proposed replacement of key personnel only if their relevant qualifications and abilities are equal to or better than those of the personnel listed in the Schedule.

5. Performance Security

- 5.1. Within ten (10) calendar days from receipt of the Notice of Award from the Procuring Entity but in no case later than the signing of the contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR.
- 5.2. The Contractor, by entering into the Contract with the Procuring Entity, acknowledges the right of the Procuring Entity to institute action pursuant to RA No. 3688 against any subcontractor be they an individual, firm, partnership, corporation, or association supplying the Contractor with labor, materials and/or equipment for the performance of this Contract.

6. Site Investigation Reports

The Contractor, in preparing the Bid, shall rely on any Site Investigation Reports referred to in the SCC supplemented by any information obtained by the Contractor.

7. Warranty

- 7.1. In case the Contractor fails to undertake the repair works under Section 62.2.2 of the 2016 revised IRR, the Procuring Entity shall forfeit its performance security, subject its property(ies) to attachment or garnishment proceedings, and perpetually disqualify it from participating in any public bidding. All payables of the GOP in his favor shall be offset to recover the costs.
- 7.2. The warranty against Structural Defects/Failures, except that occasioned-on force majeure, shall cover the period from the date of issuance of the Certificate of Final Acceptance by the Procuring Entity. Specific duration of the warranty is found in the **SCC**.

8. Liability of the Contractor

Subject to additional provisions, if any, set forth in the **SCC**, the Contractor's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Contractor is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

9. Termination for Other Causes

Contract termination shall be initiated in case it is determined *prima facie* by the Procuring Entity that the Contractor has engaged, before, or during the implementation of the contract, in unlawful deeds and behaviors relative to contract acquisition and implementation, such as, but not limited to corrupt, fraudulent, collusive, coercive, and obstructive practices as stated in **ITB** Clause 4.

10. Dayworks

Subject to the guidelines on Variation Order in Annex "E" of the 2016 revised IRR of RA No. 9184, and if applicable as indicated in the SCC, the Dayworks rates in the Contractor's Bid shall be used for small additional amounts of work only when the Procuring Entity's Representative has given written instructions in advance for additional work to be paid for in that way.

11. Program of Work

- 11.1. The Contractor shall submit to the Procuring Entity's Representative for approval the said Program of Work showing the general methods, arrangements, order, and timing for all the activities in the Works. The submissions of the Program of Work are indicated in the **SCC**.
- 11.2. The Contractor shall submit to the Procuring Entity's Representative for approval an updated Program of Work at intervals no longer than the period stated in the SCC. If the Contractor does not submit an updated Program of Work within this period, the Procuring Entity's Representative may withhold the amount stated in the SCC from the next payment certificate and continue to withhold this amount until the next payment after the date on which the overdue Program of Work has been submitted.

12. Instructions, Inspections and Audits

The Contractor shall permit the GOP or the Procuring Entity to inspect the Contractor's accounts and records relating to the performance of the Contractor and to have them audited by auditors of the GOP or the Procuring Entity, as may be required.

13. Advance Payment

The Procuring Entity shall, upon a written request of the Contractor which shall be submitted as a Contract document, make an advance payment to the Contractor in an amount not exceeding fifteen percent (15%) of the total contract price, to be made in lump sum, or at the most two installments according to a schedule specified in the SCC, subject to the requirements in Annex "E" of the 2016 revised IRR of RA No. 9184.

14. Progress Payments

The Contractor may submit a request for payment for Work accomplished. Such requests for payment shall be verified and certified by the Procuring Entity's Representative/Project Engineer. Except as otherwise stipulated in the SCC, materials and equipment delivered on the site but not completely put in place shall not be included for payment.

15. Operating and Maintenance Manuals

- 15.1. If required, the Contractor will provide "as built" Drawings and/or operating and maintenance manuals as specified in the **SCC**.
- 15.2. If the Contractor does not provide the Drawings and/or manuals by the dates stated above, or they do not receive the Procuring Entity's Representative's approval, the Procuring Entity's Representative may withhold the amount stated in the **SCC** from payments due to the Contractor.

Section V. Special Conditions of Contract

Notes on the Special Conditions of Contract

Similar to the BDS, the clauses in this Section are intended to assist the Procuring Entity in providing contract-specific information in relation to corresponding clauses in the GCC found in Section IV.

The Special Conditions of Contract (SCC) complement the GCC, specifying contractual requirements linked to the special circumstances of the Procuring Entity, the Procuring Entity's country, the sector, and the Works procured. In preparing this Section, the following aspects should be checked:

- a. Information that complements provisions of the GCC must be incorporated.
- b. Amendments and/or supplements to provisions of the GCC as necessitated by the circumstances of the specific purchase, must also be incorporated.

However, no special condition which defeats or negates the general intent and purpose of the provisions of the GCC should be incorporated herein.

Special Conditions of Contract

GCC Clause	
2	[If different dates are specified for completion of the Works by section, i.e. "sectional completion," these dates should be listed here.]
4.1	[Specify the schedule of delivery of the possession of the site to the Contractor, whether full or in part.]
6	The site investigation reports are: [list here the required site investigation reports.]
7.2	[In case of permanent structures, such as buildings of types 4 and 5 as classified under the National Building Code of the Philippines and other structures made of steel, iron, or concrete which comply with relevant structural codes (e.g., DPWH Standard Specifications), such as, but not limited to, steel/concrete bridges, flyovers, aircraft movement areas, ports, dams, tunnels, filtration and treatment plants, sewerage systems, power plants, transmission and communication towers, railway system, and other similar permanent structures:] Fifteen (15) years.
10	Dayworks are applicable at the rate shown in the Contractor's original Bid.
11.1	The Contractor shall submit the Program of Work to the Procuring Entity's Representative within <i>[insert number]</i> days of delivery of the Notice of Award.
11.2	The amount to be withheld for late submission of an updated Program of Work is [insert amount].
13	The amount of the advance payment is [insert amount as percentage of the contract price that shall not exceed 15% of the total contract price and schedule of payment].
14	[If allowed by the Procuring Entity, state:] Materials and equipment delivered on the site but not completely put in place shall be included for payment.
15.1	The date by which operating and maintenance manuals are required is <i>[date]</i> . The date by which "as built" drawings are required is <i>[date]</i> .
15.2	The amount to be withheld for failing to produce "as built" drawings and/or operating and maintenance manuals by the date required is [amount in local currency].

Section VI. Specifications

Notes on Specifications

A set of precise and clear specifications is a prerequisite for Bidders to respond realistically and competitively to the requirements of the Procuring Entity without qualifying or conditioning their Bids. In the context of international competitive bidding, the specifications must be drafted to permit the widest possible competition and, at the same time, present a clear statement of the required standards of workmanship, materials, and performance of the goods and services to be procured. Only if this is done will the objectives of economy, efficiency, and fairness in procurement be realized, responsiveness of Bids be ensured, and the subsequent task of bid evaluation facilitated. The specifications should require that all goods and materials to be incorporated in the Works be new, unused, of the most recent or current models, and incorporate all recent improvements in design and materials unless provided otherwise in the Contract.

Samples of specifications from previous similar projects are useful in this respect. The use of metric units is mandatory. Most specifications are normally written specially by the Procuring Entity or its representative to suit the Works at hand. There is no standard set of Specifications for universal application in all sectors in all regions, but there are established principles and practices, which are reflected in these PBDs.

There are considerable advantages in standardizing General Specifications for repetitive Works in recognized public sectors, such as highways, ports, railways, urban housing, irrigation, and water supply, in the same country or region where similar conditions prevail. The General Specifications should cover all classes of workmanship, materials, and equipment commonly involved in construction, although not necessarily to be used in a particular Works Contract. Deletions or addenda should then adapt the General Specifications to the particular Works.

Care must be taken in drafting specifications to ensure that they are not restrictive. In the specification of standards for goods, materials, and workmanship, recognized international standards should be used as much as possible. Where other particular standards are used, whether national standards or other standards, the specifications should state that goods, materials, and workmanship that meet other authoritative standards, and which ensure substantially equal or higher quality than the standards mentioned, will also be acceptable. The following clause may be inserted in the SCC.

Sample Clause: Equivalency of Standards and Codes

Wherever reference is made in the Contract to specific standards and codes to be met by the goods and materials to be furnished, and work performed or tested, the provisions of the latest current edition or revision of the relevant standards and codes in effect shall apply, unless otherwise expressly stated in the Contract. Where such standards and codes are national, or relate to a particular country or region, other authoritative standards that ensure a substantially equal or higher quality than the standards and codes specified will be

accepted subject to the Procuring Entity's Representative's prior review and written consent. Differences between the standards specified and the proposed alternative standards shall be fully described in writing by the Contractor and submitted to the Procuring Entity's Representative at least twenty-eight (28) days prior to the date when the Contractor desires the Procuring Entity's Representative's consent. In the event the Procuring Entity's Representative determines that such proposed deviations do not ensure substantially equal or higher quality, the Contractor shall comply with the standards specified in the documents.

These notes are intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They should not be included in the final Bidding Documents.

Section VII. Drawings

[Insert here a list of Drawings. The actual Drawings, including site plans, should be attached to this section, or annexed in a separate folder.]

Section VIII. Bill of Quantities

Notes on the Bill of Quantities

Objectives

The objectives of the Bill of Quantities are:

- a. to provide sufficient information on the quantities of Works to be performed to enable Bids to be prepared efficiently and accurately; and
- b. when a Contract has been entered into, to provide a priced Bill of Quantities for use in the periodic valuation of Works executed.

In order to attain these objectives, Works should be itemized in the Bill of Quantities in sufficient detail to distinguish between the different classes of Works, or between Works of the same nature carried out in different locations or in other circumstances which may give rise to different considerations of cost. Consistent with these requirements, the layout and content of the Bill of Quantities should be as simple and brief as possible.

Daywork Schedule

A Daywork Schedule should be included only if the probability of unforeseen work, outside the items included in the Bill of Quantities, is high. To facilitate checking by the Entity of the realism of rates quoted by the Bidders, the Daywork Schedule should normally comprise the following:

- a. A list of the various classes of labor, materials, and Constructional Plant for which basic daywork rates or prices are to be inserted by the Bidder, together with a statement of the conditions under which the Contractor will be paid for work executed on a daywork basis.
- b. Nominal quantities for each item of Daywork, to be priced by each Bidder at Daywork rates as Bid. The rate to be entered by the Bidder against each basic Daywork item should include the Contractor's profit, overheads, supervision, and other charges.

Provisional Sums

A general provision for physical contingencies (quantity overruns) may be made by including a provisional sum in the Summary Bill of Quantities. Similarly, a contingency allowance for possible price increases should be provided as a provisional sum in the Summary Bill of Quantities. The inclusion of such provisional sums often facilitates budgetary approval by avoiding the need to request periodic supplementary approvals as the future need arises. Where such provisional sums or contingency allowances are used, the SCC should state the manner in which they will be used, and under whose authority (usually the Procuring Entity's Representative's).

The estimated cost of specialized work to be carried out, or of special goods to be supplied, by other contractors should be indicated in the relevant part of the Bill of Quantities as a particular provisional sum with an appropriate brief description. A separate procurement procedure is normally carried out by the Procuring Entity to select such specialized contractors. To provide an element of competition among the Bidders in respect of any facilities, amenities, attendance, etc., to be provided by the successful Bidder as prime Contractor for the use and convenience of the specialist contractors, each related provisional sum should be followed by an item in the Bill of Quantities inviting the Bidder to quote a sum for such amenities, facilities, attendance, etc.

Signature Box

A signature box shall be added at the bottom of each page of the Bill of Quantities where the authorized representative of the Bidder shall affix his signature. Failure of the authorized representative to sign each and every page of the Bill of Quantities shall be a cause for rejection of his bid.

These Notes for Preparing a Bill of Quantities are intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They should not be included in the final documents.

Section IX. Checklist of Technical and Financial Documents

Notes on the Checklist of Technical and Financial Documents

The prescribed documents in the checklist are mandatory to be submitted in the Bid, but shall be subject to the following:

- a. GPPB Resolution No. 09-2020 on the efficient procurement measures during a State of Calamity or other similar issuances that shall allow the use of alternate documents in lieu of the mandated requirements; or
- b. any subsequent GPPB issuances adjusting the documentary requirements after the effectivity of the adoption of the PBDs.

The BAC shall be checking the submitted documents of each Bidder against this checklist to ascertain if they are all present, using a non-discretionary "pass/fail" criterion pursuant to Section 30 of the 2016 revised IRR of RA No. 9184.


Checklist of Technical and Financial Documents

I. TECHNICAL COMPONENT ENVELOPE

Class "A" Documents

Leg	al De	ocuments_
	(a)	Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages) in accordance with Section 8.5.2 of the IRR;
Tec	hnice	al Documents
	(b)	Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid; and
	(c)	Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided under the rules; and
	(d)	Special PCAB License in case of Joint Ventures and registration for the type and cost of the contract to be bid; and
	(e)	Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission <u>or</u> original copy of Notarized Bid Securing Declaration; <u>and</u>
	(f)	 Project Requirements, which shall include the following: a. Organizational chart for the contract to be bid; b. List of contractor's key personnel (e.g., Project Manager, Project Engineers, Materials Engineers, and Foremen), to be assigned to the contract to be bid, with their complete qualification and experience data;
		c. List of contractor's major equipment units, which are owned, leased, and/or under purchase agreements, supported by proof of ownership or certification of availability of equipment from the equipment lessor/vendor for the duration of the project, as the case may be; <u>and</u>
	(g)	Original duly signed Omnibus Sworn Statement (OSS) <u>and</u> if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.
<u>Fin</u>	<u>anci</u> a	al Documents
	(h)	The prospective bidder's computation of Net Financial Contracting Capacity (NFCC).

	Class B Documents
(i)	If applicable, duly signed joint venture agreement (JVA) in accordance with
_	RA No. 4566 and its IRR in case the joint venture is already in existence or
	duly notarized statements from all the potential joint venture partners stating
	that they will enter into and abide by the provisions of the JVA in the
	instance that the bid is successful.
II FINANC'	IAL COMPONENT ENVELOPE
[(j)	Original of duly signed and accomplished Financial Bid Form; and
Other doc	cumentary requirements under RA No. 9184
(k)	Original of duly signed Bid Prices in the Bill of Quantities; and
(l)	Duly accomplished Detailed Estimates Form, including a summary shee
_	indicating the unit prices of construction materials, labor rates, and equipmen
	rentals used in coming up with the Bid; and
	Cash Flow by Quarter.



Republic of the Philippines DEPARTMENT OF EDUCATION EDUCATION FACILITIES DIVISION

DepEd Complex, Meralco Avenue, Pasig City

PROGRAM OF WORKS

BILL OF QUANTITIES

REPAIR 2022 - R - III - Malolos City- 001

School	CANALATE ELEMENTARY SCHOOL		Date:					
School I.D	104889		Budget Allo	cation:				
Region	: III		Engineering	and Administrat	ive Overhead:			
Division	: MALOLOS CITY			udget for the Co				
Project Title			Completion	Period: 1	120 calendar days	S		
				equired Manpowe				
			General Fo		Welder	Carpenter		
REPA	AIR OF SEVEN (7) CLASSROOM SCHOOL BUII	LDING	Helper		Mason	Painter		
Location	: Brgy. Canalate, City of Malolos, Bulacan		Minimum Re	quired Equipme	nt:			
	•		Hand Tools		Welding N	/achine		
			One-Bagge		Bar Cutte			
			Jilo Dagge		24. 04.10.			
ITEM NO.	Item Description	% of Total	Unit	Quantity	Total Cost	Remarks		
	·			,				
	I. DIRECT COST							
	GENERAL REQUIREMENTS		lot	1.00				
	4 CLASSROOMS SCHOOL BUILDING							
1.00	Earthworks		cu.m.	177.96				
2.00	Concreting Works		cu.m.	5.97				
3.00	Rebar Works		sq.m.	211.00				
4.00	Formworks		kg	5.52				
5.00	Masonry Works		sq.m.	60.40				
6.00	Doors and Windows		set	8.00				
7.00	Steel Works		kg	1,026.00				
8.00	Roofing Works		sq m	396.00				
9.00	Carpentry Works		sq.m	224.00				
10.00	Electrical Works		pc	60.00				
11.00	Plumbing Works		set	4.00				
12.00	Sanitary Works		pc	2.00				
13.00	Painting Works		sq.m.	460.00				
14.00	Tile Works		pc	360.00				
14.00	THE WORKS		рс	300.00				
	3 CLASSROOMS SCHOOL BUILDING							
1.00	Earthworks		cu.m.	126.00				
2.00	Concreting Works		cu.m.	3.84				
3.00	Rebar Works		kg	160.00				
4.00	Formworks		sq.m.	4.14				
5.00	Masonry Works		sq.m.	58.02				
6.00	Doors and Windows		set	3.00				
7.00	Steel Works		kg	1,145.00				
8.00	Roofing Works		sq.m.	148.00				
9.00	Carpentry Works		sq.m.	126.00				
10.00	Electrical Works		pc	45.00				
11.00	Plumbing Works		set	3.00				
13.00	Painting Works		sq.m.	322.82				
14.00	Tile Works		pc	270.00				
14.00	THE WORKS		ρC	270.00				
	Sub-Total							
	Sub-Total							
	II. INDIRECT COST 22% of (I)							
	Overhead Expenses (8%)							
	Contingencies (3%)							
	Miscellaneous (1%)	+						
	Contractor's Profit (10%)							
	Sub-Total							
	Jub-10tal							
	III. TAX 5% of (I+II)	+						
	` ,							
	Sub-Total							
	IV. TOTAL CONSTRUCTION COST (I + II + III)							
	IV. TO TAL CONSTRUCTION COST (I + II + III)							

Republic of the Philippines

DEPARTMENT OF EDUCATION

EDUCATION FACILITIES DIVISION

DepEd Complex, Meralco Avenue, Pasig City

PROGRAM OF WORKS DETAILED COST ESTIMATE

PROJECT: REPAIR OF SEVEN CLASSROOMS SCHOOL BUILDING

SCHOOL: CANALATE ELEMENTARY SCHOOL

LOCATION: BRGY. CANALATE, CITY OF MALOLOS, BULACAN

OWNER: DEPARTMENT OF EDUCATION

ITEM NO	DESCRIPTION		O.T.V	UNIT	COST	TOTA	AL COST	CDAND TOTAL
ITEM NO.	DESCRIPTION	UNIT	QTY	MATERIAL	LABOR	MATERIAL	LABOR	GRAND TOTAL
	GENERAL REQUIREMENTS							
	Mobilization/Temporary Structures, Utilities and	lot	1.00					
	Services/Demobilization							
	Safety and Health	lot	1.00					
	Hauling cost (triple handling)	lot	1.00					
	Sub-total							
	4 CLASSROOM SCHOOLBUILDING (7mx8m)							
1.00	Earthworks							
	Backfilling and Compaction	cu.m	177.96					
	Select Fill	cu.m	177.96					
	Sub-total Sub-total							
2.00	Concreting Works							
	Beams	cu.m	5.97					
	Portland Cement	bag	54.00					
	Crushed Gravel 3/4"	cu.m	6.00					
	Washed Sand	cu.m	3.00					
	Column	cu.m	1.47					
	Portland Cement	bag	18.00					
	Crushed Gravel 3/4"	cu.m	2.00					
	Washed Sand	cu.m	1.00					
	Slab on Grade	cu.m	29.66					
	Portland Cement	bag	270.00					
	Crushed Gravel 1"	cu.m	30.00					
	Washed Sand	cu.m	15.00					
	Sub-total							
3.00	Rebar Works							
	Column	kg	211.00					
	Beams	kg	432.00					
	G.I. Tie Wire	kg	65.00					
	Sub-total							
4.00	Formworks							
	Colums	sq.m	5.52					
	Coco Lumber	bd.ft	102.00					
	Plywood Ordinary, 1/4" x 4' x 8'	рс	2.00					
	CWN, Assorted	kg	2.00					
	Beams	sq.m	20.00					
	Coco Lumber	bd.ft	340.00					
	Plywood Ordinary, 1/4" x 4' x 8'	рс	4.00					
	CWN, Assorted	kg	5.00					
	Sub-total							
5.00	Masonry Works							
	Additional 3 layers of CHB 4"	sq.m.	60.40					
	CHB 4" thk	рс	763.00					
	Portland Cement	bag	21.00					
	Washed Sand	cu.m.	3.00					
	10mm x 6m RSB	kg	81.00					
	G.I. Tie Wire	kg	2.00					
	Plastering	sq.m.	120.80					
	Portland Cement	bag	40.00					
	Washed Sand	cu.m.	4.00					
	Sub-total							
6.00	Doors and Windows					1		
6.0100	Removal of Door with Jamb	set	8.00					
3.0.00	Door Jamb 45mm x 150mm	set	8.00			+		
	D-1, Panel Door 0.90m x 2.10m on 50mm x	351	0.00			+		
	150mm Steel Jamb complete with Accessories (Barrel Bolt type Lockset)	set	8.00					

	D-2 Flush Door (For Toilet) 0.60m x 2.10m on					
	100mm Steel Jamb complete with Accessories	set	4.00			
	,					
	Hinges Standards 3-1/2" x 3-1/2"	set	24.00			
	Repair of Steel Encased Clear Glass Window	lot	1.00			
	Sub total					
	Sub-total					
7.0000	Steel Works					
	LC 150 x 75 x 25 x 6.0mm	kg	1,026.00			
	LC 100 x 50 x 15 x 1.5mm	kg	1,574.00			
	L 25 x 25 x 3mm	kg	182.00			
	Plain Round Bar 10mmØ x 6m	рс	22.00			
	Welding Rod	kg	64.00			
	Primer, Zinc Chromate	gal	6.00			
	Sub-total	94.	0.00			
8.00	Roofing Works					
			200.00			
	Removal of Roofing Sheets	sq m	396.00			
	Removal of Ridge Roll	pc	16.00			
	Removal of Flashing	рс	20.00			
	Removal of Fascia Board	рс	44.00			
	G.I. Long-Span Roofing, Corrugated, Pre-	lm	435.60			
	Painted, 1220mm x 0.5mm BMT	1				
	G.I. Ridge Roll, Preformed, Pre-Painted, 0.610m x 2.440m x 0.6mm BMT	рс	14.00			
	Flashing, Pre-Painted, Ordinary, 0.915m x	+ +				
	2.440m x 0.4mm thk	рс	20.00			
	Angular Bar, 1 1/2" x 1 1/2" x 1/4"	kg	295.20			
8.0900	J-Bolt (6mm dia.)	pc	242.00			
0.0000	Teckscrew 2-1/2"		484.00			
		pc L				
	Roof Sealant	L	10.00			
	Sub-total	1				
9.00	Carpentry Works					
	Interior Ceiling	sq.m	224.00			
9.0500	Plywood Marine Plywood 1/4" x 4" x 4'	pcs	77.00			
	50 mm x 50 mm Ceiling Joist	bd.ft	449.14			
	50 mm x 75 mm Ceiling Joist	bd.ft	689.00			
9.1700	Rough Lumber Sun Dried Tanguile	bd.ft.	1,138.14			
9.2100	Finishing Nails	kg	5.00			
4.0400	CWN, Assorted		18.00			
	1	kg				
9.2200	Concrete Nails	kg	4.00			
9.1900	Wood Preservative Brown	L	3.00			
	Exterior Ceiling	sq.m	94.40			
9.170	Rough Lumber, Sun Dried, Tanguile	bd.ft	413.00			
9.020	Plywood, Ordinary 1/4" x 4' x 8'	рс	33.00			
9.210	Finishing Nails	kg	2.00			
4.040	CWN, Assorted	kg	8.00			
9.190	Wood Preservative, Brown					
		1 L I	2 00			
	,	L	2.00			
	Others					
0.110	Others Angular Frame, 1" x 1" x 1/8"	kg	498.40			
9.142	Others Angular Frame, 1" x 1" x 1/8" Fascia Board, Fiber Cement 10" x 12'					
	Others Angular Frame, 1" x 1" x 1/8" Fascia Board, Fiber Cement 10" x 12' Sub-total	kg	498.40			
9.142	Others Angular Frame, 1" x 1" x 1/8" Fascia Board, Fiber Cement 10" x 12' Sub-total Electrical Works	kg	498.40			
	Others Angular Frame, 1" x 1" x 1/8" Fascia Board, Fiber Cement 10" x 12' Sub-total Electrical Works Roughing-ins	kg	498.40			
	Others Angular Frame, 1" x 1" x 1/8" Fascia Board, Fiber Cement 10" x 12' Sub-total Electrical Works	kg	498.40			
	Others Angular Frame, 1" x 1" x 1/8" Fascia Board, Fiber Cement 10" x 12' Sub-total Electrical Works Roughing-ins	kg pc	498.40 52.00			
	Others Angular Frame, 1" x 1" x 1/8" Fascia Board, Fiber Cement 10" x 12' Sub-total Electrical Works Roughing-ins Electrical Conduit uPVC, 15mmØ	kg pc	498.40 52.00 60.00			
	Others Angular Frame, 1" x 1" x 1/8" Fascia Board, Fiber Cement 10" x 12' Sub-total Electrical Works Roughing-ins Electrical Conduit uPVC, 15mmØ RSC 20mmØ	kg pc pc	498.40 52.00 60.00 2.00			
	Others Angular Frame, 1" x 1" x 1/8" Fascia Board, Fiber Cement 10" x 12' Sub-total Electrical Works Roughing-ins Electrical Conduit uPVC, 15mmØ RSC 20mmØ Entrance Cap 20mm dia. Junction Box, 4" x 4" G.I.	kg pc pc pc pc pc	498.40 52.00 60.00 2.00 2.00 16.00			
	Others Angular Frame, 1" x 1" x 1/8" Fascia Board, Fiber Cement 10" x 12' Sub-total Electrical Works Roughing-ins Electrical Conduit uPVC, 15mmØ RSC 20mmØ Entrance Cap 20mm dia. Junction Box, 4" x 4" G.I. Utility Box, 2" x 4" G.I.	kg pc pc pc pc	498.40 52.00 60.00 2.00 2.00			
	Others Angular Frame, 1" x 1" x 1/8" Fascia Board, Fiber Cement 10" x 12' Sub-total Electrical Works Roughing-ins Electrical Conduit uPVC, 15mmØ RSC 20mmØ Entrance Cap 20mm dia. Junction Box, 4" x 4" G.I. Utility Box, 2" x 4" G.I.	pc pc pc pc pc	498.40 52.00 60.00 2.00 2.00 16.00 8.00			
	Others Angular Frame, 1" x 1" x 1/8" Fascia Board, Fiber Cement 10" x 12' Sub-total Electrical Works Roughing-ins Electrical Conduit uPVC, 15mmØ RSC 20mmØ Entrance Cap 20mm dia. Junction Box, 4" x 4" G.I. Utility Box, 2" x 4" G.I. Wires & Fixtures 3.5 mm² THHN Wire, Stranded	pc pc pc pc pc m	498.40 52.00 60.00 2.00 2.00 16.00 8.00			
	Others Angular Frame, 1" x 1" x 1/8" Fascia Board, Fiber Cement 10" x 12' Sub-total Electrical Works Roughing-ins Electrical Conduit uPVC, 15mmØ RSC 20mmØ Entrance Cap 20mm dia. Junction Box, 4" x 4" G.I. Utility Box, 2" x 4" G.I. Wires & Fixtures 3.5 mm² THHN Wire, Stranded Duplex Convenience Outlet	pc pc pc pc pc	498.40 52.00 60.00 2.00 2.00 16.00 8.00			
	Others Angular Frame, 1" x 1" x 1/8" Fascia Board, Fiber Cement 10" x 12' Sub-total Electrical Works Roughing-ins Electrical Conduit uPVC, 15mmØ RSC 20mmØ Entrance Cap 20mm dia. Junction Box, 4" x 4" G.I. Utility Box, 2" x 4" G.I. Wires & Fixtures 3.5 mm² THHN Wire, Stranded Duplex Convenience Outlet 3 Single Pole Wall Switches in One Switch	pc pc pc pc pc m	498.40 52.00 60.00 2.00 2.00 16.00 8.00			
	Others Angular Frame, 1" x 1" x 1/8" Fascia Board, Fiber Cement 10" x 12' Sub-total Electrical Works Roughing-ins Electrical Conduit uPVC, 15mmØ RSC 20mmØ Entrance Cap 20mm dia. Junction Box, 4" x 4" G.I. Utility Box, 2" x 4" G.I. Wires & Fixtures 3.5 mm² THHN Wire, Stranded Duplex Convenience Outlet 3 Single Pole Wall Switches in One Switch Plate (10 AMP, 230V)	kg pc pc pc pc pc pc pc pc set	498.40 52.00 60.00 2.00 2.00 16.00 8.00 460.00 8.00			
	Others Angular Frame, 1" x 1" x 1/8" Fascia Board, Fiber Cement 10" x 12' Sub-total Electrical Works Roughing-ins Electrical Conduit uPVC, 15mmØ RSC 20mmØ Entrance Cap 20mm dia. Junction Box, 4" x 4" G.I. Utility Box, 2" x 4" G.I. Wires & Fixtures 3.5 mm² THHN Wire, Stranded Duplex Convenience Outlet 3 Single Pole Wall Switches in One Switch Plate (10 AMP, 230V) FL 1 x 40W Industrial Type	kg pc pc pc pc pc pc pc set set	498.40 52.00 60.00 2.00 2.00 16.00 8.00 460.00 8.00 4.00			
	Others Angular Frame, 1" x 1" x 1/8" Fascia Board, Fiber Cement 10" x 12' Sub-total Electrical Works Roughing-ins Electrical Conduit uPVC, 15mmØ RSC 20mmØ Entrance Cap 20mm dia. Junction Box, 4" x 4" G.I. Utility Box, 2" x 4" G.I. Wires & Fixtures 3.5 mm² THHN Wire, Stranded Duplex Convenience Outlet 3 Single Pole Wall Switches in One Switch Plate (10 AMP, 230V) FL 1 x 40W Industrial Type Ceiling Receptacle 3-1/2"Ø	kg pc pc pc pc pc pc pc pc set set pc	498.40 52.00 60.00 2.00 2.00 16.00 8.00 460.00 4.00 20.00 4.00			
	Others Angular Frame, 1" x 1" x 1/8" Fascia Board, Fiber Cement 10" x 12' Sub-total Electrical Works Roughing-ins Electrical Conduit uPVC, 15mmØ RSC 20mmØ Entrance Cap 20mm dia. Junction Box, 4" x 4" G.I. Utility Box, 2" x 4" G.I. Wires & Fixtures 3.5 mm² THHN Wire, Stranded Duplex Convenience Outlet 3 Single Pole Wall Switches in One Switch Plate (10 AMP, 230V) FL 1 x 40W Industrial Type Ceiling Receptacle 3-1/2"Ø LED Bulb, 13W	kg pc	498.40 52.00 60.00 2.00 2.00 16.00 8.00 460.00 8.00 4.00 20.00 4.00			
	Others Angular Frame, 1" x 1" x 1/8" Fascia Board, Fiber Cement 10" x 12' Sub-total Electrical Works Roughing-ins Electrical Conduit uPVC, 15mmØ RSC 20mmØ Entrance Cap 20mm dia. Junction Box, 4" x 4" G.I. Utility Box, 2" x 4" G.I. Wires & Fixtures 3.5 mm² THHN Wire, Stranded Duplex Convenience Outlet 3 Single Pole Wall Switches in One Switch Plate (10 AMP, 230V) FL 1 x 40W Industrial Type Ceiling Receptacle 3-1/2"Ø LED Bulb, 13W Safety Switch 30A 2P	kg pc	498.40 52.00 60.00 2.00 2.00 16.00 8.00 460.00 8.00 4.00 20.00 4.00 4.00			
	Others Angular Frame, 1" x 1" x 1/8" Fascia Board, Fiber Cement 10" x 12' Sub-total Electrical Works Roughing-ins Electrical Conduit uPVC, 15mmØ RSC 20mmØ Entrance Cap 20mm dia. Junction Box, 4" x 4" G.I. Utility Box, 2" x 4" G.I. Wires & Fixtures 3.5 mm² THHN Wire, Stranded Duplex Convenience Outlet 3 Single Pole Wall Switches in One Switch Plate (10 AMP, 230V) FL 1 x 40W Industrial Type Ceiling Receptacle 3-1/2"Ø LED Bulb, 13W Safety Switch 30A 2P Electrical Tape	kg pc	498.40 52.00 60.00 2.00 2.00 16.00 8.00 460.00 8.00 4.00 20.00 4.00 4.00 4.00			
	Others Angular Frame, 1" x 1" x 1/8" Fascia Board, Fiber Cement 10" x 12' Sub-total Electrical Works Roughing-ins Electrical Conduit uPVC, 15mmØ RSC 20mmØ Entrance Cap 20mm dia. Junction Box, 4" x 4" G.I. Utility Box, 2" x 4" G.I. Wires & Fixtures 3.5 mm² THHN Wire, Stranded Duplex Convenience Outlet 3 Single Pole Wall Switches in One Switch Plate (10 AMP, 230V) FL 1 x 40W Industrial Type Ceiling Receptacle 3-1/2"Ø LED Bulb, 13W Safety Switch 30A 2P	kg pc	498.40 52.00 60.00 2.00 2.00 16.00 8.00 460.00 8.00 4.00 20.00 4.00 4.00			
	Others Angular Frame, 1" x 1" x 1/8" Fascia Board, Fiber Cement 10" x 12' Sub-total Electrical Works Roughing-ins Electrical Conduit uPVC, 15mmØ RSC 20mmØ Entrance Cap 20mm dia. Junction Box, 4" x 4" G.I. Utility Box, 2" x 4" G.I. Wires & Fixtures 3.5 mm² THHN Wire, Stranded Duplex Convenience Outlet 3 Single Pole Wall Switches in One Switch Plate (10 AMP, 230V) FL 1 x 40W Industrial Type Ceiling Receptacle 3-1/2"Ø LED Bulb, 13W Safety Switch 30A 2P Electrical Tape	kg pc	498.40 52.00 60.00 2.00 2.00 16.00 8.00 460.00 8.00 4.00 20.00 4.00 4.00 4.00			
	Others Angular Frame, 1" x 1" x 1/8" Fascia Board, Fiber Cement 10" x 12' Sub-total Electrical Works Roughing-ins Electrical Conduit uPVC, 15mmØ RSC 20mmØ Entrance Cap 20mm dia. Junction Box, 4" x 4" G.I. Utility Box, 2" x 4" G.I. Wires & Fixtures 3.5 mm² THHN Wire, Stranded Duplex Convenience Outlet 3 Single Pole Wall Switches in One Switch Plate (10 AMP, 230V) FL 1 x 40W Industrial Type Ceiling Receptacle 3-1/2"Ø LED Bulb, 13W Safety Switch 30A 2P Electrical Tape Ceiling Fan	kg pc	498.40 52.00 60.00 2.00 2.00 16.00 8.00 460.00 8.00 4.00 4.00 4.00 4.00 4.00 4.00			
	Others Angular Frame, 1" x 1" x 1/8" Fascia Board, Fiber Cement 10" x 12' Sub-total Electrical Works Roughing-ins Electrical Conduit uPVC, 15mmØ RSC 20mmØ Entrance Cap 20mm dia. Junction Box, 4" x 4" G.I. Utility Box, 2" x 4" G.I. Wires & Fixtures 3.5 mm² THHN Wire, Stranded Duplex Convenience Outlet 3 Single Pole Wall Switches in One Switch Plate (10 AMP, 230V) FL 1 x 40W Industrial Type Ceiling Receptacle 3-1/2"Ø LED Bulb, 13W Safety Switch 30A 2P Electrical Tape Ceiling Fan Wall Fan, 60W, 230V, 60Hz Sub-total	kg pc	498.40 52.00 60.00 2.00 2.00 16.00 8.00 460.00 8.00 4.00 4.00 4.00 4.00 4.00 4.00			
10.00	Others Angular Frame, 1" x 1" x 1/8" Fascia Board, Fiber Cement 10" x 12' Sub-total Electrical Works Roughing-ins Electrical Conduit uPVC, 15mmØ RSC 20mmØ Entrance Cap 20mm dia. Junction Box, 4" x 4" G.I. Utility Box, 2" x 4" G.I. Wires & Fixtures 3.5 mm² THHN Wire, Stranded Duplex Convenience Outlet 3 Single Pole Wall Switches in One Switch Plate (10 AMP, 230V) FL 1 x 40W Industrial Type Ceiling Receptacle 3-1/2"Ø LED Bulb, 13W Safety Switch 30A 2P Electrical Tape Ceiling Fan Wall Fan, 60W, 230V, 60Hz Sub-total Plumbing Works	kg pc	498.40 52.00 60.00 2.00 16.00 8.00 460.00 8.00 4.00 4.00 4.00 4.00 4.00 4.00 8.00			
10.00	Others Angular Frame, 1" x 1" x 1/8" Fascia Board, Fiber Cement 10" x 12' Sub-total Electrical Works Roughing-ins Electrical Conduit uPVC, 15mmØ RSC 20mmØ Entrance Cap 20mm dia. Junction Box, 4" x 4" G.I. Utility Box, 2" x 4" G.I. Wires & Fixtures 3.5 mm² THHN Wire, Stranded Duplex Convenience Outlet 3 Single Pole Wall Switches in One Switch Plate (10 AMP, 230V) FL 1 x 40W Industrial Type Ceiling Receptacle 3-1/2"Ø LED Bulb, 13W Safety Switch 30A 2P Electrical Tape Ceiling Fan Wall Fan, 60W, 230V, 60Hz Sub-total Plumbing Works Water Closet 1.6gpf with Accessories	kg pc	498.40 52.00 60.00 2.00 2.00 16.00 8.00 460.00 8.00 4.00 4.00 4.00 4.00 4.00 4.00			
10.00	Others Angular Frame, 1" x 1" x 1/8" Fascia Board, Fiber Cement 10" x 12' Sub-total Electrical Works Roughing-ins Electrical Conduit uPVC, 15mmØ RSC 20mmØ Entrance Cap 20mm dia. Junction Box, 4" x 4" G.I. Utility Box, 2" x 4" G.I. Wires & Fixtures 3.5 mm² THHN Wire, Stranded Duplex Convenience Outlet 3 Single Pole Wall Switches in One Switch Plate (10 AMP, 230V) FL 1 x 40W Industrial Type Ceiling Receptacle 3-1/2"Ø LED Bulb, 13W Safety Switch 30A 2P Electrical Tape Ceiling Fan Wall Fan, 60W, 230V, 60Hz Sub-total Plumbing Works Water Closet 1.6gpf with Accessories Faucet, Lavatory	kg pc	498.40 52.00 60.00 2.00 16.00 8.00 460.00 8.00 4.00 4.00 4.00 4.00 4.00 4.00 4.00			
10.00	Others Angular Frame, 1" x 1" x 1/8" Fascia Board, Fiber Cement 10" x 12' Sub-total Electrical Works Roughing-ins Electrical Conduit uPVC, 15mmØ RSC 20mmØ Entrance Cap 20mm dia. Junction Box, 4" x 4" G.I. Utility Box, 2" x 4" G.I. Wires & Fixtures 3.5 mm² THHN Wire, Stranded Duplex Convenience Outlet 3 Single Pole Wall Switches in One Switch Plate (10 AMP, 230V) FL 1 x 40W Industrial Type Ceiling Receptacle 3-1/2"Ø LED Bulb, 13W Safety Switch 30A 2P Electrical Tape Ceiling Fan Wall Fan, 60W, 230V, 60Hz Sub-total Plumbing Works Water Closet 1.6gpf with Accessories Faucet, Lavatory PP-R Pipe 1/2"Ø x 4.0m	kg pc	498.40 52.00 60.00 2.00 16.00 8.00 460.00 8.00 4.00 4.00 4.00 4.00 4.00 4.00 4.00 4.00			
10.00	Others Angular Frame, 1" x 1" x 1/8" Fascia Board, Fiber Cement 10" x 12' Sub-total Electrical Works Roughing-ins Electrical Conduit uPVC, 15mmØ RSC 20mmØ Entrance Cap 20mm dia. Junction Box, 4" x 4" G.I. Utility Box, 2" x 4" G.I. Wires & Fixtures 3.5 mm² THHN Wire, Stranded Duplex Convenience Outlet 3 Single Pole Wall Switches in One Switch Plate (10 AMP, 230V) FL 1 x 40W Industrial Type Ceiling Receptacle 3-1/2"Ø LED Bulb, 13W Safety Switch 30A 2P Electrical Tape Ceiling Fan Wall Fan, 60W, 230V, 60Hz Sub-total Plumbing Works Water Closet 1.6gpf with Accessories Faucet, Lavatory PP-R Pipe 1/2"Ø x 4.0m Faucet, Hose Bibb, Brass 1/2"Ø	kg pc	498.40 52.00 60.00 2.00 2.00 16.00 8.00 460.00 4.00 4.00 4.00 4.00 4.00 4.00 4.00 4.00 4.00 4.00 4.00			
10.00	Others Angular Frame, 1" x 1" x 1/8" Fascia Board, Fiber Cement 10" x 12' Sub-total Electrical Works Roughing-ins Electrical Conduit uPVC, 15mmØ RSC 20mmØ Entrance Cap 20mm dia. Junction Box, 4" x 4" G.I. Utility Box, 2" x 4" G.I. Wires & Fixtures 3.5 mm² THHN Wire, Stranded Duplex Convenience Outlet 3 Single Pole Wall Switches in One Switch Plate (10 AMP, 230V) FL 1 x 40W Industrial Type Ceiling Receptacle 3-1/2"Ø LED Bulb, 13W Safety Switch 30A 2P Electrical Tape Ceiling Fan Wall Fan, 60W, 230V, 60Hz Sub-total Plumbing Works Water Closet 1.6gpf with Accessories Faucet, Lavatory PP-R Pipe 1/2"Ø x 4.0m	kg pc	498.40 52.00 60.00 2.00 16.00 8.00 460.00 8.00 4.00 4.00 4.00 4.00 4.00 4.00 4.00 4.00			

	DD D 0					
	PP-R Coupling Reducer, 1-1/2" x 1/2"Ø	рс	4.00			
	Gate Valve, 1-1/4"Ø	рс	4.00			
	S.S. Floor Drain 4" x 4"	set	4.00			
	Teflon Tape	roll	4.00			
	Sub-total					
12.00	Sanitary Works					
	PVC Sanitary Pipe 4"Ø x 3.0m	рс	2.00			
	PVC Sanitary Elbow 90° x 4"Ø	рс	4.00			
	PVC Sanitary Tee 4" x 4"	рс	4.00			
	PVC Cement	can	2.00			
	Sub-total					
13.00	Painting Works					
	Concrete surfaces	sq.m.	460.00			
	Latex, Flat	gal	46.00			
	Masonry Putty	gal	18.00			
-	Latex, Semi Gloss	gal	16.00			
	Acri Color	qrt.	10.00			
	Wood/Steel surfaces	sq.m.	308.00			
	Enamel, Flatwall	gal	17.00			
	Glazing Putty	gal	17.00			
	Enamel, Semi Gloss Paint Thinner	gal L	31.00			
		<u> </u>	17.00			
	Truss	1	05.00			
	Primer Red Oxide	gal	25.00			
	Sub-total					
14.00	Tile Works					
	Wall					
	Glazed Wall Tiles 30cm x 30cm	рс	360.00			
	Tile Adhesive 25 kg/bag	bag	6.00			
	Tile Grout 5 kg/bag	bag	4.00			
	Flooring					
	Unglazed Floor Tiles 30cm x 30cm	рс	180.00			
	Tile Adhesive 25 kg/bag	bag	4.00			
	Tile Grout 5 kg/bag	bag	4.00			
	The Great o kg/bag					
	Sub-total					
	Sub-total	G (6m	x 7m)			
		G (6m	x 7m)			
1.00	Sub-total	G (6m	x 7m)			
1.00	3 CLASSROOM SCHOOL BUILDING	G (6m :	x 7m)			
1.00	3 CLASSROOM SCHOOL BUILDING Earthworks					
1.00	3 CLASSROOM SCHOOL BUILDING Earthworks Backfilling and Compaction	cu.m	126.00			
1.00	3 CLASSROOM SCHOOL BUILDING Earthworks Backfilling and Compaction Select Fill Sub-total	cu.m	126.00			
	3 CLASSROOM SCHOOL BUILDING Earthworks Backfilling and Compaction Select Fill	cu.m	126.00			
	Sub-total 3 CLASSROOM SCHOOL BUILDING Earthworks Backfilling and Compaction Select Fill Sub-total Concreting Works Beams	cu.m cu.m	126.00 126.00 3.84			
	Sub-total 3 CLASSROOM SCHOOL BUILDING Earthworks Backfilling and Compaction Select Fill Sub-total Concreting Works Beams Portland Cement	cu.m cu.m	126.00 126.00 3.84 36.00			
	Sub-total 3 CLASSROOM SCHOOL BUILDING Earthworks Backfilling and Compaction Select Fill Sub-total Concreting Works Beams Portland Cement Crushed Gravel 3/4"	cu.m cu.m cu.m bag cu.m	126.00 126.00 3.84 36.00 4.00			
	Sub-total 3 CLASSROOM SCHOOL BUILDING Earthworks Backfilling and Compaction Select Fill Sub-total Concreting Works Beams Portland Cement	cu.m cu.m cu.m bag cu.m	126.00 126.00 3.84 36.00 4.00 2.00			
	Sub-total 3 CLASSROOM SCHOOL BUILDING Earthworks Backfilling and Compaction Select Fill Sub-total Concreting Works Beams Portland Cement Crushed Gravel 3/4" Washed Sand Column	cu.m cu.m cu.m bag cu.m cu.m	126.00 126.00 3.84 36.00 4.00 2.00			
	Sub-total 3 CLASSROOM SCHOOL BUILDING Earthworks Backfilling and Compaction Select Fill Sub-total Concreting Works Beams Portland Cement Crushed Gravel 3/4" Washed Sand Column Portland Cement	cu.m cu.m cu.m bag cu.m cu.m	126.00 126.00 3.84 36.00 4.00 2.00 1.15			
	Sub-total 3 CLASSROOM SCHOOL BUILDING Earthworks Backfilling and Compaction Select Fill Sub-total Concreting Works Beams Portland Cement Crushed Gravel 3/4" Washed Sand Column Portland Cement Crushed Gravel 3/4"	cu.m cu.m bag cu.m cu.m cu.m	126.00 126.00 3.84 36.00 4.00 2.00 1.15 18.00 2.00			
	Sub-total 3 CLASSROOM SCHOOL BUILDING Earthworks Backfilling and Compaction Select Fill Sub-total Concreting Works Beams Portland Cement Crushed Gravel 3/4" Washed Sand Column Portland Cement Crushed Gravel 3/4" Washed Sand	cu.m cu.m cu.m bag cu.m cu.m cu.m cu.m cu.m cu.m	126.00 126.00 3.84 36.00 4.00 2.00 1.15 18.00 2.00			
	Sub-total 3 CLASSROOM SCHOOL BUILDING Earthworks Backfilling and Compaction Select Fill Sub-total Concreting Works Beams Portland Cement Crushed Gravel 3/4" Washed Sand Column Portland Cement Crushed Gravel 3/4" Washed Sand Slab on Grade	cu.m cu.m bag cu.m cu.m cu.m cu.m cu.m cu.m cu.m cu.m	126.00 126.00 3.84 36.00 4.00 2.00 1.15 18.00 2.00 1.00			
	Sub-total 3 CLASSROOM SCHOOL BUILDING Earthworks Backfilling and Compaction Select Fill Sub-total Concreting Works Beams Portland Cement Crushed Gravel 3/4" Washed Sand Column Portland Cement Crushed Gravel 3/4" Washed Sand Slab on Grade Portland Cement	cu.m cu.m cu.m bag cu.m cu.m cu.m cu.m cu.m cu.m cu.m bag cu.m cu.m bag	126.00 126.00 3.84 36.00 2.00 1.15 18.00 2.00 1.00 12.60			
	Sub-total 3 CLASSROOM SCHOOL BUILDING Earthworks Backfilling and Compaction Select Fill Sub-total Concreting Works Beams Portland Cement Crushed Gravel 3/4" Washed Sand Column Portland Cement Crushed Gravel 3/4" Washed Sand Slab on Grade Portland Cement Crushed Gravel 3/4" Crushed Gravel 3/4" Washed Sand	cu.m cu.m cu.m bag cu.m cu.m cu.m cu.m cu.m bag cu.m cu.m bag cu.m cu.m	126.00 126.00 3.84 36.00 4.00 2.00 1.15 18.00 2.00 1.00 12.60 117.00			
	Sub-total 3 CLASSROOM SCHOOL BUILDING Earthworks Backfilling and Compaction Select Fill Sub-total Concreting Works Beams Portland Cement Crushed Gravel 3/4" Washed Sand Column Portland Cement Crushed Gravel 3/4" Washed Sand Slab on Grade Portland Cement Crushed Gravel 3/4" Washed Sand Slab on Grade Portland Cement Crushed Gravel 1" Washed Sand	cu.m cu.m cu.m bag cu.m cu.m cu.m cu.m cu.m cu.m cu.m bag cu.m cu.m bag	126.00 126.00 3.84 36.00 2.00 1.15 18.00 2.00 1.00 12.60			
1.00	Sub-total 3 CLASSROOM SCHOOL BUILDING Earthworks Backfilling and Compaction Select Fill Sub-total Concreting Works Beams Portland Cement Crushed Gravel 3/4" Washed Sand Column Portland Cement Crushed Gravel 3/4" Washed Sand Slab on Grade Portland Cement Crushed Gravel 3/4" Washed Sand Slab on Grade Portland Cement Crushed Gravel 1" Washed Sand Sub-total	cu.m cu.m cu.m bag cu.m cu.m cu.m cu.m cu.m bag cu.m cu.m bag cu.m cu.m	126.00 126.00 3.84 36.00 4.00 2.00 1.15 18.00 2.00 1.00 12.60 117.00			
	Sub-total 3 CLASSROOM SCHOOL BUILDING Earthworks Backfilling and Compaction Select Fill Sub-total Concreting Works Beams Portland Cement Crushed Gravel 3/4" Washed Sand Column Portland Cement Crushed Gravel 3/4" Washed Sand Slab on Grade Portland Cement Crushed Gravel 3/4" Washed Sand Slab on Grade Portland Cement Crushed Gravel 1" Washed Sand Slab on Grade Portland Cement Crushed Gravel 1" Washed Sand Sub-total Rebar Works	cu.m cu.m cu.m bag cu.m cu.m cu.m cu.m bag cu.m cu.m cu.m cu.m	126.00 126.00 3.84 36.00 4.00 2.00 1.15 18.00 2.00 12.60 117.00 13.00 6.50			
1.00	Sub-total 3 CLASSROOM SCHOOL BUILDING Earthworks Backfilling and Compaction Select Fill Sub-total Concreting Works Beams Portland Cement Crushed Gravel 3/4" Washed Sand Column Portland Cement Crushed Gravel 3/4" Washed Sand Slab on Grade Portland Cement Crushed Gravel 1" Washed Sand Slab on Grade Portland Cement Crushed Gravel 1" Washed Sand Sub-total Rebar Works Column	cu.m cu.m bag cu.m cu.m cu.m cu.m cu.m bag cu.m cu.m bag cu.m	126.00 126.00 126.00 3.84 36.00 4.00 2.00 1.15 18.00 2.00 12.60 117.00 6.50			
1.00	Sub-total 3 CLASSROOM SCHOOL BUILDING Earthworks Backfilling and Compaction Select Fill Sub-total Concreting Works Beams Portland Cement Crushed Gravel 3/4" Washed Sand Column Portland Cement Crushed Gravel 3/4" Washed Sand Siab on Grade Portland Cement Crushed Gravel 1" Washed Sand Siab on Grade Portland Cement Crushed Gravel 1" Washed Sand Sub-total Rebar Works Column Beams	cu.m cu.m bag cu.m cu.m cu.m cu.m cu.m bag cu.m cu.m cu.m cu.m	126.00 126.00 126.00 3.84 36.00 4.00 2.00 1.15 18.00 1.00 12.60 117.00 6.50			
1.00	Sub-total 3 CLASSROOM SCHOOL BUILDING Earthworks Backfilling and Compaction Select Fill Sub-total Concreting Works Beams Portland Cement Crushed Gravel 3/4" Washed Sand Column Portland Cement Crushed Gravel 3/4" Washed Sand Siab on Grade Portland Cement Crushed Gravel 1" Washed Sand Siab on Grade Portland Cement Crushed Gravel 1" Washed Sand Sub-total Rebar Works Column Beams G.I. Tie Wire	cu.m cu.m bag cu.m cu.m cu.m cu.m cu.m bag cu.m cu.m bag cu.m	126.00 126.00 126.00 3.84 36.00 4.00 2.00 1.15 18.00 2.00 12.60 117.00 13.00 6.50			
3.00	Sub-total 3 CLASSROOM SCHOOL BUILDING Earthworks Backfilling and Compaction Select Fill Sub-total Concreting Works Beams Portland Cement Crushed Gravel 3/4" Washed Sand Column Portland Cement Crushed Gravel 3/4" Washed Sand Slab on Grade Portland Cement Crushed Gravel 1" Washed Sand Slab on Grade Portland Cement Crushed Gravel 1" Washed Sand Sub-total Rebar Works Column Beams G.I. Tie Wire Sub-total	cu.m cu.m bag cu.m cu.m cu.m cu.m cu.m bag cu.m cu.m cu.m cu.m	126.00 126.00 126.00 3.84 36.00 4.00 2.00 1.15 18.00 1.00 12.60 117.00 6.50			
1.00	Sub-total 3 CLASSROOM SCHOOL BUILDING Earthworks Backfilling and Compaction Select Fill Sub-total Concreting Works Beams Portland Cement Crushed Gravel 3/4" Washed Sand Column Portland Cement Crushed Gravel 3/4" Washed Sand Slab on Grade Portland Cement Crushed Gravel 1" Washed Sand Slab on Grade Portland Cement Crushed Gravel 1" Washed Sand Sub-total Rebar Works Column Beams G.I. Tie Wire Sub-total Formworks	cu.m cu.m bag cu.m cu.m cu.m cu.m bag cu.m cu.m cu.m cu.m cu.m	126.00 126.00 126.00 3.84 36.00 4.00 2.00 1.15 18.00 2.00 12.60 117.00 13.00 6.50			
3.00	Sub-total 3 CLASSROOM SCHOOL BUILDING Earthworks Backfilling and Compaction Select Fill Sub-total Concreting Works Beams Portland Cement Crushed Gravel 3/4" Washed Sand Column Portland Cement Crushed Gravel 3/4" Washed Sand Slab on Grade Portland Cement Crushed Gravel 1" Washed Sand Slab on Grade Portland Cement Crushed Gravel 1" Washed Sand Sub-total Rebar Works Column Beams G.I. Tie Wire Sub-total Formworks Colums	cu.m cu.m bag cu.m cu.m cu.m bag cu.m cu.m bag cu.m cu.m cu.m bag cu.m cu.m	126.00 126.00 126.00 3.84 36.00 4.00 2.00 1.15 18.00 2.00 1.00 12.60 117.00 6.50 160.00 324.00 49.00			
3.00	Sub-total 3 CLASSROOM SCHOOL BUILDING Earthworks Backfilling and Compaction Select Fill Sub-total Concreting Works Beams Portland Cement Crushed Gravel 3/4" Washed Sand Column Portland Cement Crushed Gravel 3/4" Washed Sand Slab on Grade Portland Cement Crushed Gravel 1" Washed Sand Sub-total Rebar Works Column Beams G.I. Tie Wire Sub-total Formworks Colums Coco Lumber	cu.m cu.m bag cu.m cu.m cu.m bag cu.m cu.m bag cu.m cu.m cu.m bag cu.m cu.m bag cu.m	126.00 126.00 126.00 3.84 36.00 4.00 2.00 1.15 18.00 2.00 12.60 117.00 6.50 160.00 324.00 49.00			
3.00	Sub-total 3 CLASSROOM SCHOOL BUILDING Earthworks Backfilling and Compaction Select Fill Sub-total Concreting Works Beams Portland Cement Crushed Gravel 3/4" Washed Sand Column Portland Cement Crushed Gravel 3/4" Washed Sand Slab on Grade Portland Cement Crushed Gravel 1" Washed Sand Sub-total Rebar Works Golumn Beams G.I. Tie Wire Sub-total Formworks Colums Coco Lumber Plywood Ordinary, 1/4" x 4' x 8'	cu.m cu.m bag cu.m cu.m bag cu.m cu.m bag cu.m cu.m cu.m bag cu.m cu.m bag cu.m cu.m bag cu.m	126.00 126.00 126.00 3.84 36.00 4.00 2.00 1.15 18.00 1.00 12.60 117.00 6.50 160.00 324.00 49.00			
3.00	Sub-total 3 CLASSROOM SCHOOL BUILDING Earthworks Backfilling and Compaction Select Fill Sub-total Concreting Works Beams Portland Cement Crushed Gravel 3/4" Washed Sand Column Portland Cement Crushed Gravel 3/4" Washed Sand Slab on Grade Portland Cement Crushed Gravel 1" Washed Sand Sub-total Rebar Works Column G.I. Tie Wire Sub-total Formworks Cool Lumber Plywood Ordinary, 1/4" x 4' x 8' CWN, Assorted	cu.m cu.m bag cu.m cu.m bag cu.m cu.m bag cu.m cu.m cu.m bag cu.m cu.m bag cu.m cu.m bag cu.m cu.m	126.00 126.00 126.00 3.84 36.00 4.00 2.00 1.15 18.00 2.00 117.00 13.00 6.50 160.00 324.00 49.00 4.14 85.00 1.00			
3.00	Sub-total 3 CLASSROOM SCHOOL BUILDING Earthworks Backfilling and Compaction Select Fill Sub-total Concreting Works Beams Portland Cement Crushed Gravel 3/4" Washed Sand Column Portland Cement Crushed Gravel 3/4" Washed Sand Slab on Grade Portland Cement Crushed Gravel 1" Washed Sand Sub-total Rebar Works Column Beams G.I. Tie Wire Sub-total Formworks Coco Lumber Plywood Ordinary, 1/4" x 4' x 8' CWN, Assorted Beams	cu.m cu.m cu.m bag cu.m cu.m cu.m bag cu.m cu.m cu.m cu.m bag cu.m cu.m cu.m bag cu.m cu.m cu.m cu.m	126.00 126.00 126.00 3.84 36.00 2.00 1.15 18.00 2.00 12.60 117.00 6.50 160.00 324.00 49.00 1.00 1.00			
3.00	Sub-total 3 CLASSROOM SCHOOL BUILDING Earthworks Backfilling and Compaction Select Fill Sub-total Concreting Works Beams Portland Cement Crushed Gravel 3/4" Washed Sand Column Portland Cement Crushed Gravel 3/4" Washed Sand Slab on Grade Portland Cement Crushed Gravel 1" Washed Sand Sub-total Rebar Works Column Beams G.I. Tie Wire Sub-total Formworks Colums Coco Lumber Plywood Ordinary, 1/4" x 4' x 8' CWN, Assorted Beams Coco Lumber	cu.m cu.m bag cu.m cu.m bag cu.m cu.m bag cu.m cu.m cu.m bag cu.m cu.m bag cu.m cu.m bag cu.m cu.m	126.00 126.00 126.00 3.84 36.00 2.00 1.15 18.00 2.00 12.60 117.00 6.50 160.00 324.00 49.00 49.00 1.00 2.00 1.00			
3.00	Sub-total 3 CLASSROOM SCHOOL BUILDING Earthworks Backfilling and Compaction Select Fill Sub-total Concreting Works Beams Portland Cement Crushed Gravel 3/4" Washed Sand Column Portland Cement Crushed Gravel 3/4" Washed Sand Slab on Grade Portland Cement Crushed Gravel 3/4" Washed Sand Slab on Grade Portland Cement Crushed Gravel 1" Washed Sand Sub-total Rebar Works Column Beams G.I. Tie Wire Sub-total Formworks Colums Coco Lumber Plywood Ordinary, 1/4" x 4' x 8' CWN, Assorted Beams Coco Lumber Plywood Ordinary, 1/4" x 4' x 8'	cu.m cu.m cu.m bag cu.m cu.m bag cu.m cu.m cu.m bag cu.m cu.m bag cu.m cu.m bag cu.m cu.m bag cu.m cu.m cu.m	126.00 126.00 126.00 3.84 36.00 2.00 1.15 18.00 2.00 12.60 117.00 324.00 49.00 49.00 1.00 2.00 1.00 324.00 49.00			
3.00	Sub-total 3 CLASSROOM SCHOOL BUILDING Earthworks Backfilling and Compaction Select Fill Sub-total Concreting Works Beams Portland Cement Crushed Gravel 3/4" Washed Sand Column Portland Cement Crushed Gravel 3/4" Washed Sand Slab on Grade Portland Cement Crushed Gravel 1" Washed Sand Sub-total Rebar Works Column Beams G.I. Tie Wire Sub-total Formworks Colums Coco Lumber Plywood Ordinary, 1/4" x 4' x 8' CWN, Assorted Beams Coco Lumber	cu.m cu.m cu.m bag cu.m cu.m cu.m cu.m cu.m cu.m cu.m cu.m	126.00 126.00 126.00 3.84 36.00 2.00 1.15 18.00 2.00 12.60 117.00 6.50 160.00 324.00 49.00 49.00 1.00 2.00 1.00			
3.00	Sub-total 3 CLASSROOM SCHOOL BUILDING Earthworks Backfilling and Compaction Select Fill Sub-total Concreting Works Beams Portland Cement Crushed Gravel 3/4" Washed Sand Column Portland Cement Crushed Gravel 3/4" Washed Sand Slab on Grade Portland Cement Crushed Gravel 3/4" Washed Sand Slab on Grade Portland Cement Crushed Gravel 1" Washed Sand Sub-total Rebar Works Column Beams G.I. Tie Wire Sub-total Formworks Colums Coco Lumber Plywood Ordinary, 1/4" x 4' x 8' CWN, Assorted Beams Coco Lumber Plywood Ordinary, 1/4" x 4' x 8'	cu.m cu.m cu.m bag cu.m cu.m bag cu.m cu.m cu.m bag cu.m cu.m bag cu.m cu.m bag cu.m cu.m bag cu.m cu.m cu.m	126.00 126.00 126.00 3.84 36.00 2.00 1.15 18.00 2.00 12.60 117.00 324.00 49.00 49.00 1.00 2.00 1.00 324.00 49.00			
3.00	Sub-total 3 CLASSROOM SCHOOL BUILDING Earthworks Backfilling and Compaction Select Fill Sub-total Concreting Works Beams Portland Cement Crushed Gravel 3/4" Washed Sand Column Portland Cement Crushed Gravel 3/4" Washed Sand Slab on Grade Portland Cement Crushed Gravel 3/4" Washed Sand Slab on Grade Portland Cement Crushed Gravel 1" Washed Sand Sub-total Rebar Works Column Beams G.I. Tie Wire Sub-total Formworks Colums Coco Lumber Plywood Ordinary, 1/4" x 4' x 8' CWN, Assorted Beams Coco Lumber Plywood Ordinary, 1/4" x 4' x 8' CWN, Assorted	cu.m cu.m cu.m bag cu.m cu.m bag cu.m cu.m cu.m bag cu.m cu.m bag cu.m cu.m bag cu.m cu.m bag cu.m cu.m cu.m	126.00 126.00 126.00 3.84 36.00 2.00 1.15 18.00 2.00 12.60 117.00 324.00 49.00 49.00 1.00 2.00 1.00 324.00 49.00			
3.00	Sub-total 3 CLASSROOM SCHOOL BUILDING Earthworks Backfilling and Compaction Select Fill Sub-total Concreting Works Beams Portland Cement Crushed Gravel 3/4" Washed Sand Column Portland Cement Crushed Gravel 3/4" Washed Sand Slab on Grade Portland Cement Crushed Gravel 1" Washed Sand Sub-total Rebar Works Column Beams G.I. Tie Wire Sub-total Formworks Cooc Lumber Plywood Ordinary, 1/4" x 4' x 8' CWN, Assorted Beams Coco Lumber Plywood Ordinary, 1/4" x 4' x 8' CWN, Assorted Beams Coco Lumber Plywood Ordinary, 1/4" x 4' x 8' CWN, Assorted Sub-total	cu.m cu.m cu.m bag cu.m cu.m bag cu.m cu.m cu.m bag cu.m cu.m bag cu.m cu.m bag cu.m cu.m bag cu.m cu.m cu.m	126.00 126.00 126.00 3.84 36.00 2.00 1.15 18.00 2.00 12.60 117.00 6.50 160.00 324.00 49.00 49.00 15.00 2.55.00			

	Deather d. Occasión	h	00.00	1		
	Portland Cement	bag	20.00			
	Washed Sand	cu.m.	3.00			
	10mm x 6m RSB	kg	79.00			
	G.I. Tie Wire	kg	2.00			
	Plastering	sq.m.	116.04			
	Portland Cement	bag	39.00			
	Washed Sand	cu.m.	4.00			
	Sub-total					
6.00	Doors and Windows					
6.0100	Removal of Door with Jamb	set	3.00			
	Door Jamb 45mm x 150mm	set	3.00			
	D-1, Panel Door 0.90m x 2.10m on 50mm x 150mm Steel Jamb complete with Accessories (Barrel Bolt type Lockset)	set	3.00			
	D-2 Flush Door (For Toilet) 0.60m x 2.10m on 100mm Steel Jamb complete with Accessories	set	3.00			
	Hinges Standards 3-1/2" x 3-1/2"	set	9.00			
	·					
	Repair of Steel Encased Clear Glass Window	lot	1.00			
	Sub-total					
7.00	Steel Works					
	LC 150 x 50 x 14 x 2.0mm	kg	1,145.00			
	LC 100 x 50 x 12 x 1.5mm	kg	1,388.00			
	L 25 x 25 x 3mm	kg	137.00			
	Plain Round Bar 10mmØ x 6m	рс	14.00			
	Welding Rod	kg	44.00			
	Primer, Zinc Chromate	gal	3.00			
	Sub-total					
8.00	Roofing Works					
	Removal of Roofing Sheet	sq.m.	148.00			
	Removal of Ridge Roll	рс	6.00			
	Removal of Flashing	рс	12.00			
	Removal of Fascia Board	рс	10.00			
	G.I. Long-Span Roofing, Corrugated, Pre-	lm				
	Painted, 1220mm x 0.5mm BMT	1111	330.50			
8.070	G.I. Ridge Roll, Preformed, Pre-Painted,	рс	8.00			
	0.610m x 2.440m x 0.6mm BMT	·	6.00			
	G I Flashing Preformed Pre-Painted 0.610m					
8.080	G.I. Flashing, Preformed, Pre-Painted, 0.610m x 2.440m x 0.4mm BMT	рс	10.00			
8.080	x 2.440m x 0.4mm BMT	·	10.00 147.60			
8.080		pc kg pc				
	x 2.440m x 0.4mm BMT Angular Bar, 1 1/2" x 1 1/2" x 1/4"	kg	147.60			
8.0900	x 2.440m x 0.4mm BMT Angular Bar, 1 1/2" x 1 1/2" x 1/4" J-Bolt (6mm dia.)	kg pc	147.60 867.00			
8.0900 8.100	x 2.440m x 0.4mm BMT Angular Bar, 1 1/2" x 1 1/2" x 1/4" J-Bolt (6mm dia.) Teckscrew 2-1/2"	kg pc pc	147.60 867.00 1,733.00			
8.0900 8.100	x 2.440m x 0.4mm BMT Angular Bar, 1 1/2" x 1 1/2" x 1/4" J-Bolt (6mm dia.) Teckscrew 2-1/2" Roof Sealant	kg pc pc	147.60 867.00 1,733.00			
8.0900 8.100 8.130	x 2.440m x 0.4mm BMT Angular Bar, 1 1/2" x 1 1/2" x 1/4" J-Bolt (6mm dia.) Teckscrew 2-1/2" Roof Sealant Sub-total	kg pc pc L	147.60 867.00 1,733.00 3.00			
8.0900 8.100 8.130	x 2.440m x 0.4mm BMT Angular Bar, 1 1/2" x 1 1/2" x 1/4" J-Bolt (6mm dia.) Teckscrew 2-1/2" Roof Sealant Sub-total Carpentry Works Interior Ceiling	kg pc pc L	147.60 867.00 1,733.00 3.00			
8.0900 8.100 8.130 9.00	x 2.440m x 0.4mm BMT Angular Bar, 1 1/2" x 1 1/2" x 1/4" J-Bolt (6mm dia.) Teckscrew 2-1/2" Roof Sealant Sub-total Carpentry Works Interior Ceiling Plywood Marine Plywood 1/4" x 4" x 4'	kg pc pc L sq.m pcs	147.60 867.00 1,733.00 3.00 126.00 45.00			
8.0900 8.100 8.130 9.00	x 2.440m x 0.4mm BMT Angular Bar, 1 1/2" x 1 1/2" x 1/4" J-Bolt (6mm dia.) Teckscrew 2-1/2" Roof Sealant Sub-total Carpentry Works Interior Ceiling Plywood Marine Plywood 1/4" x 4" x 4' 50 mm x 50 mm Ceiling Joist	kg pc pc L sq.m pcs bd.ft	147.60 867.00 1,733.00 3.00 126.00 45.00 228.00			
8.0900 8.100 8.130 9.00 9.0500	x 2.440m x 0.4mm BMT Angular Bar, 1 1/2" x 1 1/2" x 1/4" J-Bolt (6mm dia.) Teckscrew 2-1/2" Roof Sealant Sub-total Carpentry Works Interior Ceiling Plywood Marine Plywood 1/4" x 4" x 4' 50 mm x 50 mm Ceiling Joist	kg pc pc L sq.m pcs bd.ft	147.60 867.00 1,733.00 3.00 126.00 45.00 228.00 323.00			
8.0900 8.100 8.130 9.00 9.0500	x 2.440m x 0.4mm BMT Angular Bar, 1 1/2" x 1 1/2" x 1/4" J-Bolt (6mm dia.) Teckscrew 2-1/2" Roof Sealant Sub-total Carpentry Works Interior Ceiling Plywood Marine Plywood 1/4" x 4" x 4' 50 mm x 50 mm Ceiling Joist 50 mm x 75 mm Ceiling Joist Rough Lumber Sun Dried Tanguile	kg pc pc L sq.m pcs bd.ft bd.ft.	147.60 867.00 1,733.00 3.00 126.00 45.00 228.00 323.00 551.00			
8.0900 8.100 8.130 9.00 9.0500 9.1700 9.2100	x 2.440m x 0.4mm BMT Angular Bar, 1 1/2" x 1 1/2" x 1/4" J-Bolt (6mm dia.) Teckscrew 2-1/2" Roof Sealant Sub-total Carpentry Works Interior Ceiling Plywood Marine Plywood 1/4" x 4" x 4' 50 mm x 50 mm Ceiling Joist 50 mm x 75 mm Ceiling Joist Rough Lumber Sun Dried Tanguile Finishing Nails	kg pc pc L sq.m pcs bd.ft bd.ft. kg	147.60 867.00 1,733.00 3.00 126.00 45.00 228.00 323.00 551.00			
8.0900 8.100 8.130 9.00 9.0500 9.1700 9.2100 4.0400	x 2.440m x 0.4mm BMT Angular Bar, 1 1/2" x 1 1/2" x 1/4" J-Bolt (6mm dia.) Teckscrew 2-1/2" Roof Sealant Sub-total Carpentry Works Interior Ceiling Plywood Marine Plywood 1/4" x 4" x 4' 50 mm x 50 mm Ceiling Joist 50 mm x 75 mm Ceiling Joist Rough Lumber Sun Dried Tanguile Finishing Nails CWN, Assorted	kg pc pc L sq.m pcs bd.ft bd.ft. kg kg	147.60 867.00 1,733.00 3.00 126.00 45.00 228.00 323.00 551.00 3.00			
8.0900 8.100 8.130 9.00 9.0500 9.1700 9.2100 4.0400 9.2200	x 2.440m x 0.4mm BMT Angular Bar, 1 1/2" x 1 1/2" x 1/4" J-Bolt (6mm dia.) Teckscrew 2-1/2" Roof Sealant Sub-total Carpentry Works Interior Ceiling Plywood Marine Plywood 1/4" x 4" x 4' 50 mm x 50 mm Ceiling Joist 50 mm x 75 mm Ceiling Joist Rough Lumber Sun Dried Tanguile Finishing Nails CWN, Assorted Concrete Nails	kg pc pc L sq.m pcs bd.ft bd.ft. kg kg	147.60 867.00 1,733.00 3.00 126.00 45.00 228.00 323.00 551.00 3.00 10.00			
8.0900 8.100 8.130 9.00 9.0500 9.1700 9.2100 4.0400	x 2.440m x 0.4mm BMT Angular Bar, 1 1/2" x 1 1/2" x 1/4" J-Bolt (6mm dia.) Teckscrew 2-1/2" Roof Sealant Sub-total Carpentry Works Interior Ceiling Plywood Marine Plywood 1/4" x 4" x 4' 50 mm x 50 mm Ceiling Joist 50 mm x 75 mm Ceiling Joist Rough Lumber Sun Dried Tanguile Finishing Nails CWN, Assorted Concrete Nails Wood Preservative Brown	kg pc pc L sq.m pcs bd.ft bd.ft kg kg kg	147.60 867.00 1,733.00 3.00 126.00 45.00 228.00 323.00 551.00 3.00 10.00 2.00			
8.0900 8.100 8.130 9.00 9.0500 9.1700 9.2100 4.0400 9.2200 9.1900	x 2.440m x 0.4mm BMT Angular Bar, 1 1/2" x 1 1/2" x 1/4" J-Bolt (6mm dia.) Teckscrew 2-1/2" Roof Sealant Sub-total Carpentry Works Interior Ceiling Plywood Marine Plywood 1/4" x 4" x 4' 50 mm x 50 mm Ceiling Joist 50 mm x 75 mm Ceiling Joist Rough Lumber Sun Dried Tanguile Finishing Nails CWN, Assorted Concrete Nails Wood Preservative Brown Exterior Ceiling	kg pc pc L sq.m pcs bd.ft bd.ft kg kg kg L sq.m	147.60 867.00 1,733.00 3.00 126.00 45.00 228.00 323.00 551.00 10.00 2.00 68.00			
8.0900 8.100 8.130 9.00 9.0500 9.1700 9.2100 4.0400 9.2200 9.1900	x 2.440m x 0.4mm BMT Angular Bar, 1 1/2" x 1 1/2" x 1/4" J-Bolt (6mm dia.) Teckscrew 2-1/2" Roof Sealant Sub-total Carpentry Works Interior Ceiling Plywood Marine Plywood 1/4" x 4" x 4' 50 mm x 50 mm Ceiling Joist 50 mm x 75 mm Ceiling Joist Rough Lumber Sun Dried Tanguile Finishing Nails CWN, Assorted Concrete Nails Wood Preservative Brown Exterior Ceiling Rough Lumber, Sun Dried, Tanguile	kg pc pc L sq.m pcs bd.ft bd.ft. kg kg kg L sq.m	147.60 867.00 1,733.00 3.00 126.00 45.00 228.00 323.00 551.00 10.00 2.00 68.00 298.00			
8.0900 8.100 8.130 9.00 9.0500 9.1700 9.2100 4.0400 9.2200 9.1900 9.170 9.020	x 2.440m x 0.4mm BMT Angular Bar, 1 1/2" x 1 1/2" x 1/4" J-Bolt (6mm dia.) Teckscrew 2-1/2" Roof Sealant Sub-total Carpentry Works Interior Ceiling Plywood Marine Plywood 1/4" x 4" x 4' 50 mm x 50 mm Ceiling Joist 50 mm x 75 mm Ceiling Joist Rough Lumber Sun Dried Tanguile Finishing Nails CWN, Assorted Concrete Nails Wood Preservative Brown Exterior Ceiling Rough Lumber, Sun Dried, Tanguile Plywood, Ordinary 1/4" x 4' x 8'	kg pc pc L sq.m pcs bd.ft bd.ft. kg kg kg L sq.m bd.ft	147.60 867.00 1,733.00 3.00 126.00 45.00 228.00 323.00 551.00 2.00 2.00 68.00 298.00			
8.0900 8.100 8.130 9.00 9.0500 9.1700 9.2100 4.0400 9.2200 9.1900 9.170 9.020 9.210	x 2.440m x 0.4mm BMT Angular Bar, 1 1/2" x 1 1/2" x 1/4" J-Bolt (6mm dia.) Teckscrew 2-1/2" Roof Sealant Sub-total Carpentry Works Interior Ceiling Plywood Marine Plywood 1/4" x 4" x 4' 50 mm x 50 mm Ceiling Joist 50 mm x 75 mm Ceiling Joist Rough Lumber Sun Dried Tanguile Finishing Nails CWN, Assorted Concrete Nails Wood Preservative Brown Exterior Ceiling Rough Lumber, Sun Dried, Tanguile Plywood, Ordinary 1/4" x 4' x 8' Finishing Nails	kg pc pc L sq.m pcs bd.ft bd.ft. kg kg kg L sq.m bd.ft	147.60 867.00 1,733.00 3.00 126.00 45.00 228.00 323.00 551.00 2.00 2.00 68.00 298.00 24.00			
8.0900 8.100 8.130 9.00 9.0500 9.1700 9.2100 4.0400 9.2200 9.1900 9.170 9.020 9.210 4.040	x 2.440m x 0.4mm BMT Angular Bar, 1 1/2" x 1 1/2" x 1/4" J-Bolt (6mm dia.) Teckscrew 2-1/2" Roof Sealant Sub-total Carpentry Works Interior Ceiling Plywood Marine Plywood 1/4" x 4" x 4' 50 mm x 50 mm Ceiling Joist 50 mm x 75 mm Ceiling Joist Rough Lumber Sun Dried Tanguile Finishing Nails CWN, Assorted Concrete Nails Wood Preservative Brown Exterior Ceiling Rough Lumber, Sun Dried, Tanguile Plywood, Ordinary 1/4" x 4' x 8' Finishing Nails CWN, Assorted	kg pc pc L sq.m pcs bd.ft bd.ft. kg kg L sq.m bd.ft pc kg	147.60 867.00 1,733.00 3.00 126.00 45.00 228.00 323.00 551.00 2.00 2.00 68.00 298.00 24.00 2.00 6.00			
8.0900 8.100 8.130 9.00 9.0500 9.1700 9.2100 4.0400 9.2200 9.1900 9.170 9.020 9.210	x 2.440m x 0.4mm BMT Angular Bar, 1 1/2" x 1 1/2" x 1/4" J-Bolt (6mm dia.) Teckscrew 2-1/2" Roof Sealant Sub-total Carpentry Works Interior Ceiling Plywood Marine Plywood 1/4" x 4" x 4' 50 mm x 50 mm Ceiling Joist 50 mm x 75 mm Ceiling Joist Rough Lumber Sun Dried Tanguile Finishing Nails CWN, Assorted Concrete Nails Wood Preservative Brown Exterior Ceiling Rough Lumber, Sun Dried, Tanguile Plywood, Ordinary 1/4" x 4' x 8' Finishing Nails CWN, Assorted	kg pc pc L sq.m pcs bd.ft bd.ft. kg kg kg L sq.m bd.ft	147.60 867.00 1,733.00 3.00 126.00 45.00 228.00 323.00 551.00 2.00 2.00 68.00 298.00 24.00			
8.0900 8.100 8.130 9.00 9.0500 9.1700 9.2100 4.0400 9.2200 9.1900 9.170 9.020 9.210 4.040	x 2.440m x 0.4mm BMT Angular Bar, 1 1/2" x 1 1/2" x 1/4" J-Bolt (6mm dia.) Teckscrew 2-1/2" Roof Sealant Sub-total Carpentry Works Interior Ceiling Plywood Marine Plywood 1/4" x 4" x 4' 50 mm x 50 mm Ceiling Joist 50 mm x 75 mm Ceiling Joist Rough Lumber Sun Dried Tanguile Finishing Nails CWN, Assorted Concrete Nails Wood Preservative Brown Exterior Ceiling Rough Lumber, Sun Dried, Tanguile Plywood, Ordinary 1/4" x 4' x 8' Finishing Nails CWN, Assorted Wood Preservative, Brown	kg pc pc L sq.m pcs bd.ft bd.ft. kg kg L sq.m bd.ft pc kg	147.60 867.00 1,733.00 3.00 126.00 45.00 228.00 323.00 551.00 3.00 2.00 68.00 24.00 24.00 6.00			
8.0900 8.100 8.130 9.00 9.0500 9.1700 9.2100 4.0400 9.2200 9.1900 9.170 9.020 9.210 4.040 9.190	x 2.440m x 0.4mm BMT Angular Bar, 1 1/2" x 1 1/2" x 1/4" J-Bolt (6mm dia.) Teckscrew 2-1/2" Roof Sealant Sub-total Carpentry Works Interior Ceiling Plywood Marine Plywood 1/4" x 4" x 4' 50 mm x 50 mm Ceiling Joist 50 mm x 75 mm Ceiling Joist Rough Lumber Sun Dried Tanguile Finishing Nails CWN, Assorted Concrete Nails Wood Preservative Brown Exterior Ceiling Rough Lumber, Sun Dried, Tanguile Plywood, Ordinary 1/4" x 4' x 8' Finishing Nails CWN, Assorted Wood Preservative, Brown Others Angular Frame, 1" x 1" x 1/8"	kg pc pc L sq.m pcs bd.ft bd.ft. kg kg L sq.m bd.ft pc kg kg L kg kg	147.60 867.00 1,733.00 3.00 45.00 228.00 323.00 551.00 2.00 2.00 68.00 24.00 24.00 6.00 1.00			
8.0900 8.100 8.130 9.00 9.0500 9.1700 9.2100 4.0400 9.2200 9.1900 9.170 9.020 9.210 4.040	x 2.440m x 0.4mm BMT Angular Bar, 1 1/2" x 1 1/2" x 1/4" J-Bolt (6mm dia.) Teckscrew 2-1/2" Roof Sealant Sub-total Carpentry Works Interior Ceiling Plywood Marine Plywood 1/4" x 4" x 4' 50 mm x 50 mm Ceiling Joist 50 mm x 75 mm Ceiling Joist Rough Lumber Sun Dried Tanguile Finishing Nails CWN, Assorted Concrete Nails Wood Preservative Brown Exterior Ceiling Rough Lumber, Sun Dried, Tanguile Plywood, Ordinary 1/4" x 4' x 8' Finishing Nails CWN, Assorted Wood Preservative, Brown Others Angular Frame, 1" x 1" x 1/8" Fascia Board, Fiber Cement 10" x 12'	kg pc pc L sq.m pcs bd.ft bd.ft. kg kg L sq.m bd.ft pc kg	147.60 867.00 1,733.00 3.00 126.00 45.00 228.00 323.00 551.00 3.00 2.00 68.00 24.00 24.00 6.00			
8.0900 8.100 8.130 9.00 9.0500 9.1700 9.2100 4.0400 9.2200 9.1900 9.170 9.210 4.040 9.190	x 2.440m x 0.4mm BMT Angular Bar, 1 1/2" x 1 1/2" x 1/4" J-Bolt (6mm dia.) Teckscrew 2-1/2" Roof Sealant Sub-total Carpentry Works Interior Ceiling Plywood Marine Plywood 1/4" x 4" x 4' 50 mm x 50 mm Ceiling Joist 50 mm x 75 mm Ceiling Joist Rough Lumber Sun Dried Tanguile Finishing Nails CWN, Assorted Concrete Nails Wood Preservative Brown Exterior Ceiling Rough Lumber, Sun Dried, Tanguile Plywood, Ordinary 1/4" x 4' x 8' Finishing Nails CWN, Assorted Wood Preservative, Brown Others Angular Frame, 1" x 1" x 1/8" Fascia Board, Fiber Cement 10" x 12' Sub-total	kg pc pc L sq.m pcs bd.ft bd.ft. kg kg L sq.m bd.ft pc kg kg L kg kg	147.60 867.00 1,733.00 3.00 45.00 228.00 323.00 551.00 2.00 2.00 68.00 24.00 24.00 6.00 1.00			
8.0900 8.100 8.130 9.00 9.0500 9.1700 9.2100 4.0400 9.2200 9.1900 9.170 9.020 9.210 4.040 9.190	x 2.440m x 0.4mm BMT Angular Bar, 1 1/2" x 1 1/2" x 1/4" J-Bolt (6mm dia.) Teckscrew 2-1/2" Roof Sealant Sub-total Carpentry Works Interior Ceiling Plywood Marine Plywood 1/4" x 4" x 4' 50 mm x 50 mm Ceiling Joist 50 mm x 75 mm Ceiling Joist Rough Lumber Sun Dried Tanguile Finishing Nails CWN, Assorted Concrete Nails Wood Preservative Brown Exterior Ceiling Rough Lumber, Sun Dried, Tanguile Plywood, Ordinary 1/4" x 4' x 8' Finishing Nails CWN, Assorted Wood Preservative, Brown Others Angular Frame, 1" x 1" x 1/8" Fascia Board, Fiber Cement 10" x 12' Sub-total Electrical Works	kg pc pc L sq.m pcs bd.ft bd.ft. kg kg L sq.m bd.ft pc kg kg L kg kg	147.60 867.00 1,733.00 3.00 45.00 228.00 323.00 551.00 2.00 2.00 68.00 24.00 24.00 6.00 1.00			
8.0900 8.100 8.130 9.00 9.0500 9.1700 9.2100 4.0400 9.2200 9.1900 9.170 9.210 4.040 9.190	x 2.440m x 0.4mm BMT Angular Bar, 1 1/2" x 1 1/2" x 1/4" J-Bolt (6mm dia.) Teckscrew 2-1/2" Roof Sealant Sub-total Carpentry Works Interior Ceiling Plywood Marine Plywood 1/4" x 4" x 4' 50 mm x 50 mm Ceiling Joist 50 mm x 75 mm Ceiling Joist Rough Lumber Sun Dried Tanguile Finishing Nails CWN, Assorted Concrete Nails Wood Preservative Brown Exterior Ceiling Rough Lumber, Sun Dried, Tanguile Plywood, Ordinary 1/4" x 4" x 8' Finishing Nails CWN, Assorted Concrete Nails Wood Preservative Brown Exterior Ceiling Rough Lumber, Sun Dried, Tanguile Plywood, Ordinary 1/4" x 4" x 8' Finishing Nails CWN, Assorted Wood Preservative, Brown Others Angular Frame, 1" x 1" x 1/8" Fascia Board, Fiber Cement 10" x 12' Sub-total Electrical Works Roughing-ins	kg pc pc L sq.m pcs bd.ft bd.ft. kg kg kg L sq.m bd.ft kg kg	147.60 867.00 1,733.00 3.00 126.00 45.00 228.00 323.00 551.00 2.00 2.00 2.00 2.00 24.00 24.00 2.00 6.00 1.00 280.35 30.00			
8.0900 8.100 8.130 9.00 9.0500 9.1700 9.2100 4.0400 9.2200 9.1900 9.170 9.210 4.040 9.190	x 2.440m x 0.4mm BMT Angular Bar, 1 1/2" x 1 1/2" x 1/4" J-Bolt (6mm dia.) Teckscrew 2-1/2" Roof Sealant Sub-total Carpentry Works Interior Ceiling Plywood Marine Plywood 1/4" x 4" x 4' 50 mm x 50 mm Ceiling Joist 50 mm x 75 mm Ceiling Joist Rough Lumber Sun Dried Tanguile Finishing Nails CWN, Assorted Concrete Nails Wood Preservative Brown Exterior Ceiling Rough Lumber, Sun Dried, Tanguile Plywood, Ordinary 1/4" x 4" x 8' Finishing Nails CWN, Assorted CWN, Assorted Plywood, Ordinary 1/4" x 4" x 8' Finishing Nails CWN, Assorted Wood Preservative, Brown Others Angular Frame, 1" x 1" x 1/8" Fascia Board, Fiber Cement 10" x 12' Sub-total Electrical Works Roughing-ins Electrical Conduit uPVC, 15mmØ	kg pc pc L sq.m pcs bd.ft bd.ft. kg kg kg L sq.m bd.ft kg cg.m bd.ft cg.m bd.ft	147.60 867.00 1,733.00 3.00 45.00 228.00 323.00 551.00 2.00 2.00 2.00 24.00 2.00 68.00 298.00 24.00 2.00 6.00 1.00			
8.0900 8.100 8.130 9.00 9.0500 9.1700 9.2100 4.0400 9.2200 9.1900 9.170 9.210 4.040 9.190	x 2.440m x 0.4mm BMT Angular Bar, 1 1/2" x 1 1/2" x 1/4" J-Bolt (6mm dia.) Teckscrew 2-1/2" Roof Sealant Sub-total Carpentry Works Interior Ceiling Plywood Marine Plywood 1/4" x 4" x 4' 50 mm x 50 mm Ceiling Joist 50 mm x 75 mm Ceiling Joist Rough Lumber Sun Dried Tanguile Finishing Nails CWN, Assorted Concrete Nails Wood Preservative Brown Exterior Ceiling Rough Lumber, Sun Dried, Tanguile Plywood, Ordinary 1/4" x 4" x 8' Finishing Nails CWN, Assorted Odd Preservative Brown Exterior Ceiling Rough Lumber, Sun Dried, Tanguile Plywood, Ordinary 1/4" x 4' x 8' Finishing Nails CWN, Assorted Wood Preservative, Brown Others Angular Frame, 1" x 1" x 1/8" Fascia Board, Fiber Cement 10" x 12' Sub-total Electrical Works Roughing-ins Electrical Conduit uPVC, 15mmØ RSC 20mmØ	kg pc pc L sq.m pcs bd.ft bd.ft. kg kg kg L sq.m bd.ft pc kg pc pc pc	147.60 867.00 1,733.00 3.00 45.00 228.00 323.00 551.00 2.00 68.00 298.00 24.00 6.00 1.00 280.35 30.00			
8.0900 8.100 8.130 9.00 9.0500 9.1700 9.2100 4.0400 9.2200 9.1900 9.170 9.210 4.040 9.190	x 2.440m x 0.4mm BMT Angular Bar, 1 1/2" x 1 1/2" x 1/4" J-Bolt (6mm dia.) Teckscrew 2-1/2" Roof Sealant Sub-total Carpentry Works Interior Ceiling Plywood Marine Plywood 1/4" x 4" x 4' 50 mm x 50 mm Ceiling Joist 50 mm x 75 mm Ceiling Joist Rough Lumber Sun Dried Tanguile Finishing Nails CWN, Assorted Concrete Nails Wood Preservative Brown Exterior Ceiling Rough Lumber, Sun Dried, Tanguile Plywood, Ordinary 1/4" x 4' x 8' Finishing Nails CWN, Assorted Wood Preservative Brown Exterior Ceiling Rough Lumber, Sun Dried, Tanguile Plywood, Ordinary 1/4" x 4' x 8' Finishing Nails CWN, Assorted Wood Preservative, Brown Others Angular Frame, 1" x 1" x 1/8" Fascia Board, Fiber Cement 10" x 12' Sub-total Electrical Works Roughing-ins Electrical Conduit uPVC, 15mmØ RSC 20mmØ Entrance Cap 20mm dia.	kg pc pc L sq.m pcs bd.ft bd.ft. kg kg kg L sq.m bd.ft kg cg.m bd.ft cg.m bd.ft	147.60 867.00 1,733.00 3.00 126.00 45.00 228.00 323.00 551.00 2.00 68.00 298.00 24.00 6.00 1.00 280.35 30.00 45.00 280.35			
8.0900 8.100 8.130 9.00 9.0500 9.1700 9.2100 4.0400 9.2200 9.1900 9.170 9.210 4.040 9.190	x 2.440m x 0.4mm BMT Angular Bar, 1 1/2" x 1 1/2" x 1/4" J-Bolt (6mm dia.) Teckscrew 2-1/2" Roof Sealant Sub-total Carpentry Works Interior Ceiling Plywood Marine Plywood 1/4" x 4" x 4' x 4' x 50 mm x 50 mm Ceiling Joist 50 mm x 50 mm Ceiling Joist Rough Lumber Sun Dried Tanguile Finishing Nails CWN, Assorted Concrete Nails Wood Preservative Brown Exterior Ceiling Rough Lumber, Sun Dried, Tanguile Plywood, Ordinary 1/4" x 4' x 8' Finishing Nails CWN, Assorted Wood Preservative Brown Exterior Ceiling Rough Lumber, Sun Dried, Tanguile Plywood, Ordinary 1/4" x 4' x 8' Finishing Nails CWN, Assorted Wood Preservative, Brown Others Angular Frame, 1" x 1" x 1/8" Fascia Board, Fiber Cement 10" x 12' Sub-total Electrical Works Roughing-ins Electrical Conduit uPVC, 15mmØ RSC 20mmØ Entrance Cap 20mm dia. Junction Box, 4" x 4" G.I.	kg pc pc L sq.m pcs bd.ft bd.ft. kg kg kg L sq.m bd.ft pc kg pc pc pc pc pc	147.60 867.00 1,733.00 3.00 126.00 45.00 228.00 323.00 551.00 2.00 68.00 298.00 24.00 6.00 1.00 280.35 30.00 45.00 280.35 30.00			
8.0900 8.100 8.130 9.00 9.0500 9.1700 9.2100 4.0400 9.2200 9.1900 9.170 9.210 4.040 9.190	x 2.440m x 0.4mm BMT Angular Bar, 1 1/2" x 1 1/2" x 1/4" J-Bolt (6mm dia.) Teckscrew 2-1/2" Roof Sealant Sub-total Carpentry Works Interior Ceiling Plywood Marine Plywood 1/4" x 4" x 4' x 4' x 50 mm x 50 mm Ceiling Joist 50 mm x 50 mm Ceiling Joist Rough Lumber Sun Dried Tanguile Finishing Nails CWN, Assorted Concrete Nails Wood Preservative Brown Exterior Ceiling Rough Lumber, Sun Dried, Tanguile Plywood, Ordinary 1/4" x 4' x 8' Finishing Nails CWN, Assorted Wood Preservative, Brown Others Angular Frame, 1" x 1" x 1/8" Fascia Board, Fiber Cement 10" x 12' Sub-total Electrical Works Roughing-ins Electrical Conduit uPVC, 15mmØ RSC 20mmØ Entrance Cap 20mm dia. Junction Box, 4" x 4" G.I. Utility Box, 2" x 4" G.I.	kg pc pc L sq.m pcs bd.ft bd.ft. kg kg kg L sq.m bd.ft pc kg pc pc pc pc	147.60 867.00 1,733.00 3.00 126.00 45.00 228.00 323.00 551.00 2.00 68.00 298.00 24.00 6.00 1.00 280.35 30.00 45.00 280.35			
8.0900 8.100 8.130 9.00 9.0500 9.1700 9.2100 4.0400 9.2200 9.1900 9.170 9.210 4.040 9.190	x 2.440m x 0.4mm BMT Angular Bar, 1 1/2" x 1 1/2" x 1/4" J-Bolt (6mm dia.) Teckscrew 2-1/2" Roof Sealant Sub-total Carpentry Works Interior Ceiling Plywood Marine Plywood 1/4" x 4" x 4' 50 mm x 50 mm Ceiling Joist 50 mm x 75 mm Ceiling Joist Rough Lumber Sun Dried Tanguile Finishing Nails CWN, Assorted Concrete Nails Wood Preservative Brown Exterior Ceiling Rough Lumber, Sun Dried, Tanguile Plywood, Ordinary 1/4" x 4' x 8' Finishing Nails CWN, Assorted Wood Preservative, Brown Others Angular Frame, 1" x 1" x 1/8" Fascia Board, Fiber Cement 10" x 12' Sub-total Electrical Works Roughing-ins Electrical Conduit uPVC, 15mmØ RSC 20mmØ Entrance Cap 20mm dia. Junction Box, 4" x 4" G.I. Wires & Fixtures	kg pc pc L sq.m pcs bd.ft bd.ft. kg kg kg L sq.m bd.ft pc kg pc pc pc pc pc	147.60 867.00 1,733.00 3.00 126.00 45.00 228.00 323.00 551.00 2.00 68.00 298.00 24.00 6.00 1.00 280.35 30.00 45.00 280.35 30.00			
8.0900 8.100 8.130 9.00 9.0500 9.1700 9.2100 4.0400 9.2200 9.1900 9.170 9.210 4.040 9.190	x 2.440m x 0.4mm BMT Angular Bar, 1 1/2" x 1 1/2" x 1/4" J-Bolt (6mm dia.) Teckscrew 2-1/2" Roof Sealant Sub-total Carpentry Works Interior Ceiling Plywood Marine Plywood 1/4" x 4" x 4' x 4' x 50 mm x 50 mm Ceiling Joist 50 mm x 50 mm Ceiling Joist Rough Lumber Sun Dried Tanguile Finishing Nails CWN, Assorted Concrete Nails Wood Preservative Brown Exterior Ceiling Rough Lumber, Sun Dried, Tanguile Plywood, Ordinary 1/4" x 4' x 8' Finishing Nails CWN, Assorted Wood Preservative, Brown Others Angular Frame, 1" x 1" x 1/8" Fascia Board, Fiber Cement 10" x 12' Sub-total Electrical Works Roughing-ins Electrical Conduit uPVC, 15mmØ RSC 20mmØ Entrance Cap 20mm dia. Junction Box, 4" x 4" G.I. Utility Box, 2" x 4" G.I.	kg pc pc L sq.m pcs bd.ft bd.ft. kg kg kg L sq.m bd.ft pc kg pc pc pc pc pc	147.60 867.00 1,733.00 3.00 126.00 45.00 228.00 323.00 551.00 2.00 68.00 298.00 24.00 6.00 1.00 280.35 30.00 45.00 280.35 30.00			
8.0900 8.100 8.130 9.00 9.0500 9.1700 9.2100 4.0400 9.2200 9.1900 9.170 9.210 4.040 9.190	x 2.440m x 0.4mm BMT Angular Bar, 1 1/2" x 1 1/2" x 1/4" J-Bolt (6mm dia.) Teckscrew 2-1/2" Roof Sealant Sub-total Carpentry Works Interior Ceiling Plywood Marine Plywood 1/4" x 4" x 4' 50 mm x 50 mm Ceiling Joist Rough Lumber Sun Dried Tanguile Finishing Nails CWN, Assorted Concrete Nails Wood Preservative Brown Exterior Ceiling Rough Lumber, Sun Dried, Tanguile Plywood, Ordinary 1/4" x 4' x 8' Finishing Nails CWN, Assorted Owd Preservative Brown Exterior Ceiling Rough Lumber, Sun Dried, Tanguile Plywood, Ordinary 1/4" x 4' x 8' Finishing Nails CWN, Assorted Wood Preservative, Brown Others Angular Frame, 1" x 1" x 1/8" Fascia Board, Fiber Cement 10" x 12' Sub-total Electrical Works Roughing-ins Electrical Conduit uPVC, 15mmØ RSC 20mmØ Entrance Cap 20mm dia. Junction Box, 4" x 4" G.I. Utility Box, 2" x 4" G.I. Wires & Fixtures 3.5 mm² THHN Wire, Stranded Duplex Convenience Outlet	kg pc pc L sq.m pcs bd.ft bd.ft. kg kg kg L sq.m bd.ft pc kg pc pc pc pc pc pc	147.60 867.00 1,733.00 3.00 126.00 45.00 228.00 323.00 551.00 2.00 68.00 24.00 24.00 2.00 6.00 1.00 280.35 30.00 45.00 20.00 6.00 1.00 6.00 1.00 6.00 6.00 6.00			
8.0900 8.100 8.130 9.00 9.0500 9.1700 9.2100 4.0400 9.2200 9.1900 9.170 9.210 4.040 9.190	x 2.440m x 0.4mm BMT Angular Bar, 1 1/2" x 1 1/2" x 1/4" J-Bolt (6mm dia.) Teckscrew 2-1/2" Roof Sealant Sub-total Carpentry Works Interior Ceiling Plywood Marine Plywood 1/4" x 4" x 4' 50 mm x 50 mm Ceiling Joist 50 mm x 75 mm Ceiling Joist Rough Lumber Sun Dried Tanguile Finishing Nails CWN, Assorted Concrete Nails Wood Preservative Brown Exterior Ceiling Rough Lumber, Sun Dried, Tanguile Plywood, Ordinary 1/4" x 4' x 8' Finishing Nails CWN, Assorted Wood Preservative Brown Exterior Ceiling Rough Lumber, Sun Dried, Tanguile Plywood, Ordinary 1/4" x 4' x 8' Finishing Nails CWN, Assorted Wood Preservative, Brown Others Angular Frame, 1" x 1" x 1/8" Fascia Board, Fiber Cement 10" x 12' Sub-total Electrical Works Roughing-ins Electrical Conduit uPVC, 15mmØ RSC 20mmØ Entrance Cap 20mm dia. Junction Box, 4" x 4" G.I. Utility Box, 2" x 4" G.I. Wires & Fixtures 3.5 mm² THHN Wire, Stranded Duplex Convenience Outlet 3 Single Pole Wall Switches in One Switch	kg pc pc L sq.m pcs bd.ft bd.ft. kg kg kg L sq.m bd.ft pc kg pc	147.60 867.00 1,733.00 3.00 126.00 45.00 228.00 323.00 551.00 2.00 68.00 24.00 24.00 2.00 6.00 1.00 280.35 30.00 45.00 20.00 6.00 1.00 6.00 6.00 6.00 6.00 6.00			
8.0900 8.100 8.130 9.00 9.0500 9.1700 9.2100 4.0400 9.2200 9.1900 9.170 9.210 4.040 9.190	x 2.440m x 0.4mm BMT Angular Bar, 1 1/2" x 1 1/2" x 1/4" J-Bolt (6mm dia.) Teckscrew 2-1/2" Roof Sealant Sub-total Carpentry Works Interior Ceiling Plywood Marine Plywood 1/4" x 4" x 4' 50 mm x 50 mm Ceiling Joist Rough Lumber Sun Dried Tanguile Finishing Nails CWN, Assorted Concrete Nails Wood Preservative Brown Exterior Ceiling Rough Lumber, Sun Dried, Tanguile Plywood, Ordinary 1/4" x 4' x 8' Finishing Nails CWN, Assorted Owd Preservative Brown Exterior Ceiling Rough Lumber, Sun Dried, Tanguile Plywood, Ordinary 1/4" x 4' x 8' Finishing Nails CWN, Assorted Wood Preservative, Brown Others Angular Frame, 1" x 1" x 1/8" Fascia Board, Fiber Cement 10" x 12' Sub-total Electrical Works Roughing-ins Electrical Conduit uPVC, 15mmØ RSC 20mmØ Entrance Cap 20mm dia. Junction Box, 4" x 4" G.I. Utility Box, 2" x 4" G.I. Wires & Fixtures 3.5 mm² THHN Wire, Stranded Duplex Convenience Outlet	kg pc pc L sq.m pcs bd.ft bd.ft. kg kg kg L sq.m bd.ft pc kg pc pc pc pc pc pc pc	147.60 867.00 1,733.00 3.00 126.00 45.00 228.00 323.00 551.00 2.00 68.00 24.00 24.00 2.00 6.00 1.00 280.35 30.00 12.00 6.00 1.00 280.35 30.00 350.00			

	Ceiling Receptacle 3-1/2"Ø	рс	3.00	1	1		
	LED Bulb, 13W	рс	3.00	+		-	
	· ·	- ' - 					
	Safety Switch 30A 2P	set	3.00				
	Electrical Tape	рс		+		+	
	Ceiling Fan	рс	3.00				
	Wall Fan, 60W, 230V, 60Hz	set	6.00			1	
	Sub-total						
11.00	Plumbing Works						
	Water Closet 1.6gpf with Accessories	set	3.00	-			
	Faucet, Lavatory	set	3.00				
	PP-R Pipe 1/2"Ø x 4.0m	рс	9.00				
	Faucet, Hose Bibb, Brass 1/2"Ø	pc	3.00				
	PP-R Tee, 1/2"Ø	pc	3.00				
	PP-R Elbow 90° x 1/2"Ø	pc	3.00				
	PP-R Coupling Reducer, 1-1/2" x 1/2"Ø	рс	3.00				
	Gate Valve, 1-1/4"Ø	рс	3.00				
	S.S. Floor Drain 4" x 4"	set	3.00				
	Teflon Tape	roll	3.00				
	Sub-total Sub-total						
13.00	Painting Works						
	Concrete surfaces	sq.m.	322.82				
	Latex, Flat	gal	33.00				
	Latex, Semi Gloss	gal	17.00				
	Acri Color	qrt.	13.00				
	Wood/Steel surfaces	sq.m.	143.46				
	Enamel, Flatwall	gal	8.00				
	Glazing Putty	gal	8.00				
	Enamel, Semi Gloss	gal	15.00				
	Paint Thinner	L	6.00				
	Sub-total						
14.00	Tile Works						
	Wall						
	Glazed Wall Tiles 30cm x 30cm	рс	270.00				
	Tile Adhesive 25 kg/bag	bag	5.00				
	Tile Grout 5 kg/bag	bag	3.00				
	Flooring						
	Unglazed Floor Tiles 30cm x 30cm	рс	135.00				
	Tile Adhesive 25 kg/bag	bag	3.00				
	Tile Grout 5 kg/bag	bag	3.00				
	Sub-total			1			
				1			
				1			
I.	DIRECT COST			1	1	1	
II.	INDIRECT COST (I-Gen. Reqts.)						
III.	TAX 5% of (I + II)						
IV.	TOTAL CONSTRUCTION COST (I + III + III)	1					
4 7 1		I					